

CANIK® GLOBAL ACCESSORY PROGRAM OFFICIAL ACCESSORY PROGRAM OFFICIAL PART PROGRAM

www.canik-store.com



CONTENTS

| BARREL ————— | 4 - 21 |
|---------------------------------------------------------|----------|
| MAGAZINE ———— | 24 -31 |
| MAG-WELL — | 34 - 37 |
| MAGAZINE EXTENSION ———————————————————————————————————— | 40 - 43 |
| BACKSTRAP ———————————————————————————————————— | 46 - 51 |
| RECOIL SPRING — | 54 - 59 |
| SIGHT — | 62 - 67 |
| OPTIC BASE PLATE —————— | 70 - 73 |
| FIRING PIN & MAGAZINE CATCH ————— | 76 - 77 |
| TRIGGER — | 80 - 81 |
| UPGRADE PACK ———————————————————————————————————— | 84 - 85 |
| DUTY PACK & GEAR — | 88 - 95 |
| HOLSTER — | 98 - 109 |
| OEM — | 112 - 12 |

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

COMPACT SIZE THREADED BARREL DESIGN BY SAI® (INCH)

COMPACT SIZE SAI® DESIGN THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY W® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

FEATURES

CHAMBERED IN 9X19 MM
1/2" – 28 RIGHT-HAND THREAD
HIGH-QUALITY CNC TECH
4.72" / 120 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE













WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION THIS BARREL IS CHAMBERED IN 9719MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY DBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR BROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUINSMITH

MMAC-069

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE -S - METE SF
METE SF PRO

BARREL

COMPACT SIZE THREADED BARREL (METRIC)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
4,60" / 117 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IT THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 979MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUINSMITH

MMAC-096

FITS

TP9 SF METE - TP9 SF METE -S

BARREL

COMPACT SIZE SAI® DESIGNED THREADED BARREL (METRIC)

COMPACT SIZE SAI® DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
4,72" / 120 MM BARREL LENGTH
GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE









WARNINGE BARRELS MAY ONLY DE RETURNED IT THEY ARE UNISSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9XI9MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE THE **

PAMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUINSMITH.

MMAC-070

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - METE SF - METE SF PRO

COMPACT SIZE THREADED BARREL (IMPERIAL)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY, UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM 1/2 - 28 RH THREAD PITCH HIGH-QUALITY CNC TECH 4.60" / 117 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 8 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











NARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL, DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-178

FITS

TP9 SF METE - TP9 SF METE-S

BARREL

COMPACT SIZE BARREL (REPLACEMENT)

COMPACT SIZE SAI® DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-OUALITY CNC TECH 4.07" / 103,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-179

FITS

TP9 SF METE - TP9 SF METE -S

BARREL

FULL SIZE METAL FRAME BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-OUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-472

FITS

STANDART - LIGHT - SHARK - PIRANHA - DOLPHIN - DOLPHIN-L - S-120 - L-120 - P-120



FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY, UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-OUALITY CNC TECH 5.19" / 132 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE













ING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-105

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFL

BARREL

FULL SIZE THREADED BARREL (METRIC)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY, UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES


CHAMBERED IN 9X19 MM M13.5X1 LH HIGH-QUALITY CNC TECH 5.74" / 146 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL











MMAC-106

FITS

TP9 SFx - METE SFx - METE SFx PRO

BARREL

FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM 1/2"-28RH HIGH-QUALITY CNC TECH 5.74" / 146 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 8 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-107

FITS

TP9 SFx METE - METE SFx - METE SFx PRO

COMPACT SIZE BARREL (REPLACEMENT)

COMPACT SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY, UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-OUALITY CNC TECH 4.19" / 106,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











NARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL, DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-108

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

BARREL

COMPACT SIZE BARREL (REPLACEMENT)

COMPACT SIZE SAI® DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-OUALITY CNC TECH 4.07" / 103,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-179

FITS

TP9 SF METE - TP9 SF METE -S

BARREL

FULL SIZE METAL FRAME BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-OUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-472

FITS

STANDART - LIGHT - SHARK - PIRANHA - DOLPHIN - DOLPHIN-L - S-120 - L-120 - P-120



COMPACT SIZE THREADED BARREL (METRIC)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM M13,5X1LH HIGH-QUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE













WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE PP+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-109

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT- TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE -METE SF - METE SF PRO

BARREL

COMPACT SIZE THREADED BARREL (IMPERIAL)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM 1/2"-28RH HIGH-OUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-110

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE -METE SF - METE SF PRO

BARREL

COMPACT SIZE SAI® DESIGNED BARREL

COMPACT SIZE SAI® DESIGNED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANİK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 4,19" / 106,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50.000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-111

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

COMPACT SIZE SAI® DESIGNED BARREL (PVD)

COMPACT SIZE SAI® DESIGNED PVD COATED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANİK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 4,19" / 106,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50.000 ROUNDS BARREL LIFE











YARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-112

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

BARREL

COMPACT SIZE SAI® DESIGNED PVD COATED THREADED BARREL (METRIC)

COMPACT SIZE SAI® DESIGNED PVD COATED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS



FEATURES

CHAMBERED IN 9X19 MM M13,5X1 LH HIGH-QUALITY CNC TECH 4,72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-113

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

BARREL

COMPACT SIZE PVD COATED THREADED BARREL DESIGNED BY SAI® (IMPERIAL)

COMPACT SIZE SAI® DESIGNED PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM 1/2"-28RH HIGH-QUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-114

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 DA ELITE METE SF - METE SF PRO

SUB COMPACT (SC) SIZE BARREL (REPLACEMENT)

SC SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 3,60" / 91,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 8 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE





MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE PP+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE

MMAC-115

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S

BARREL

SUB COMPACT (SC) THREADED BARREL (METRIC)

SC THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM M13,5X1LH HIGH-OUALITY CNC TECH 4.13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S

MMAC-116

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

BARREL

SUB COMPACT (SC) SIZE THREADED BARREL (IMPERIAL)

SC SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM 1/2"-28RH HIGH-QUALITY CNC TECH 4.13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-117

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

SUB COMPACT (SC) size PVD COATED BARREL (REPLACEMENT)

SC SIZE PVD COATED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK®ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS



FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 3,60" / 91,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50.000 ROUNDS BARREL LIFE











IARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE LINUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-126


FITS

TP9 ELITE SC - TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

BARREL

SUB COMPACT (SC) SIZE PVD COATED THREADED BARREL (METRIC)

SC PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FFATURES

CHAMBERED IN 9X19 MM M13,5X1 LH HIGH-QUALITY CNC TECH 4,13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











NG! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S

MMAC-127

TP9 ELITE SC - TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO

BARREL

SUB COMPACT (SC) size PVD COATED THREADED BARREL (IMPERIAL)

SC SIZE PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM 1/2" - 28RH HIGH-QUALITY CNC TECH 4.13" / 105 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE PP+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CARFFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-128

FITS

TP9 ELITE SC - TP9 SUB ELITE - TP9 SUB METE - TP9 SUB ELITE CAS - METE SC - METE SC PRO



FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
4.46" / 113,5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 8 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE













WARNING BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN BESALEABLE CONDITION THIS BABREL IS CHAMBERED IN 979MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. ALWAYS BE SUBER THAT THE BARREL IS CLEAR OF ANY DOSTRICTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANIAL CAREFITIVE ALL PARTS AND ACCESSIONES SHOULD BE RISTALL THEY ALL DISHABLE.

MMAC-173

FITS

TP9 SF - TP9 SFT - TP9 SF MOD 2 - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

BARREL

FULL SIZE THREADED BARREL (METRIC)

FULL SIZE THREADED BARRELS ARE SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE CANIK® PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH QUALITY, BARREL GRADE STEEL. PRECISION CNC MACHINING PROVIDES MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS, THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THE TP9 FULL-SIZE BARRELS REDEFINE OUALITY AND ROBUSTNESS AMONG HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
5,00" / 127 MM BARREL LENGTH
9.85 INCH / 250 MM HELIX LENGTH
INNER 8 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 979MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANIAL CAPEFFUL VAIL DADES AND ACCESSORIES SHOULD BE REMISTED FOR A DIRECTED HIS MINISTED.

MMAC-174

FITS

TP9 SF - TP9 SFT - TP9 SF MOD 2 - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

BARREL

FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
1/2 - 28 RH THREAD PITCH
HIGH-QUALITY CNC TECH
5.00" / 127 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50.000 ROUNDS BARREL LIFE









WARNINGE BARRELS MAY ONLY DE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X9MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY DESTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THERRIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANIAL CARBELLY ALL DRATE MAN ACCESSIBLES CHILD DE LINETAL OF BY ALD INLIEDE INSEMENT.

MMAC-175

FITS

TP9 SF - TP9 SFT - TP9 SF MOD 2 - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY, UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 5.00"/127 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE













NARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S

MMAC-416

FITS

SFX RIVAL

BARREL

SUB COMPACT (SC) SIZE FLUTED BARREL

SC SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 3.60" / 91,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 8 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S

MMAC-417

FITS

TP9 ELITE - TP9 ELITE SC CAS - TP9 SUB METE - TP9 SUB ELITE - TP9 SUB ELITE CAS METE SC - METE SC PRO

BARREL

COMPACT SIZE FLUTED BARREL

COMPACT SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 4.19" / 106,5MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50.000 ROUNDS BARREL LIFE











MMAC-418

TP9 ELITE COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE - METE SF - METE SF PRO



FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 4.46"/113,5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE













ING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-419

FITS

TP9 SF - TP9 SFT - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

BARREL

FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 5.19"/132MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE





MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH







MMAC-420

FITS

TP9 SFx METE - METE SFx - METE SFx PRO

BARREL

SUB COMPACT (SC) SIZE FLUTED THREADED **BARREL (IMPERIAL)**

SC SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 4.13"/105MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-438

FITS

TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE - TP9 SUB ELITE - TP9 SUB ELITE CAS METE SC - METE SC PRO

SUB COMPACT (SC) SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

SC SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 4.13"/105MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP





9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-439

FITS

TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE - TP9 SUB ELITE - TP9 SUB ELITE CAS METE SC - METE SC PRO

BARREL

COMPACT SIZE FLUTED THREADED BARREL (IMPERIAL)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FFATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"- 28 RH HIGH-QUALITY CNC TECH 4.72"/120MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE







WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-441

FITS

TP9 ELITE COMBAT - TP9 SF ELITE - TP9 SF METE - TP9 SF ELITE-S - METE SF - METE SF PRO

BARREL

COMPACT SIZE PVD COATED FLUTED THREADED **BARREL (IMPERIAL)**

COMPACT SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.




FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"- 28 RH HIGH-QUALITY CNC TECH 4.72" / 120 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION, ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING, DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-442

FITS

TP9 ELITE COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE - METE SF - METE SF PRO

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2 - 28 RH THREAD PITCH HIGH-QUALITY CNC TECH 5.00"/127MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 8 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE PP+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-444

FITS

TP9 SF - TP9 SFT - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

BARREL

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS, EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2 - 28 RH THREAD PITCH HIGH-OUALITY CNC TECH 5.00"/127MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE

TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-445

FITS

TP9 SF - TP9 SFT - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

BARREL

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS, EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 5.74"/146MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER 8 OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-447

FITS

TP9 SFX METE - METE SFX - METE SFX PRO

FULL SIZE PVD COATED FLUTED THREADED **BARREL (IMPERIAL)**

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 5.74"/146MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH POLISHED FEED RAMP MATCH GRADE BARREL

UP TO 50,000 ROUNDS BARREL LIFE TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH











NARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-448

FITS

TP9 SFX METE - METE SFX - METE SFX PRO

BARREL

FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARREIS



CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN HIGH-QUALITY CNC TECH 5.19" BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP

MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-449

FITS

TP9 SFX - TP9 SFL

BARREL

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS, EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"- 28 RH HIGH-QUALITY CNC TECH 5.74" BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH **INNER & OUTER TENIFER FINISH** POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-450

FITS

TP9 SFx - TP9 SFL

FULL SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"- 28 RH HIGH-QUALITY CNC TECH 5.74"/146MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH











ING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE PP+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-452

FITS

TP9 SFX - TP9 SFL

BARREL

FULL SIZE THREADED BARREL (INCH)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM HIGH-QUALITY CNC TECH 1/2"- 28 RH 5.74" / 146 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL

UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-462

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFL

BARREL

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN M13,5X1 LH HIGH-QUALITY CNC TECH 5.74"/146MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50.000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-446

FITS

TP9 SFX METE - METE SFX - METE SFX PRO

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
5.53"/140.5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50.000 ROUNDS BARREL LIFE









WARNING BARRELS MAY DINLY BE RETURNED IT THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 979MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE 4P- AMMUNITION. ALWAYS BE SUBE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CARRETUY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMITH.

MMAC-434

FITS

SFX RIVAL

BARREL

SUB COMPACT SIZE FLUTED THREADED BARREL (METRIC)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
M13,5X1 LH
HIGH-QUALITY CNC TECH
4.13"/105MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50.000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9XPMM, ONLY USE THIS CALIBER OF FACIONY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE ++++ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUISMITH

MMAC-437

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE

METE SC - METE SC PRO

BARREL

COMPACT SIZE FLUTED THREADED BARREL (METRIC)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
M13,5X1 LH
HIGH-QUALITY CNC TECH
4.72"/120MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE









WARNING: BARRELS MAY ONLY BE RETURNED IF THEY ARE UNISED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL BO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. OD NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNERS MANUAL CAREFULY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMITH

MMAC-440

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - METE SF - METE SF PRO

FULL SIZE PVD FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 5.53"/140.5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP

MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE











WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE PP+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-436

FITS

SFX RIVAL

BARREL

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN M13.5X1 LH HIGH-QUALITY CNC TECH 5.00"/127MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH INNER & OUTER TENIFER FINISH POLISHED FEED RAMP MATCH GRADE BARREL UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-443

FITS

TP9 SF - TP9 SFT - TP9 SA MOD 2 - TP9 SFT METE - METE SFT - METE SFT PRO

BARREL

FULL SIZE PVD FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS, EVERY BARREL IS MANUFACTURED OF HIGH-OUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM UNIQUE FLUTED DESIGN 1/2"-28 RH HIGH-QUALITY CNC TECH 5.53"/140.5 MM BARREL LENGTH 6 GROOVES W/RH TWIST 9.85 INCH / 250 MM HELIX LENGTH TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH POLISHED FEED RAMP MATCH GRADE BARREL









WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-451

FITS

TP9 SFx - TP9 SFL

FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
5.19" / 132 MM BARREL LENGTH
6 GROOVES W/RH TUIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50.000 ROUNDS BARREL LIFE





MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH





WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +92- AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF BAY DESTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODITY THE CALIBER OF THE BARREL OF BARREL OR SHOOTEN AND LATER OF THE MEAREL, DEFENSE REPLAINED YOUR BRANEL, PLEASE READ, O'VOUR PRISTO'S OWNER'S

MMAC-539

FITS

TP9 SFx - METE SFx - METE SFx PR0

BARREL

FULL SIZE THREADED BARREL (INCH)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
1/2" - 28 RH
5.74" / 146 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE









WARNING! BARRELS MAY DNLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9719MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +++ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CILEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANIAL CAREFULLY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMITH

MMAC-461

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFL

BARREL

FULL SIZE FLUTED THREADED BARREL (INCH)

FULL SIZE FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
1/2" – 28 RH
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
5.53"/140.5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50.000 ROUNDS BARREL LIFE








WARNING BARRELS MAY DIN'Y BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 979MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL DO NOT USE +PP-AMMUNITION. ALWAYS BESURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CARRETUY ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMITH

MMAC-435

FITS

SFX RIVAL





COMPACT SIZE 15 ROUND MAGAZINE WITH +3 **EXTENSION**

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

18 (15+3) ROUND 9X19MM CAPACITY POLYMER BASE PLATE WITH GRIP EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE













WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-015

FITS

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFLIETE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

MAGAZINE

COMPACT SIZE 15 ROUND MAGAZINE

THE COMPACT SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EOUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

15 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE **EASY MAINTENANCE**











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-028

FITS

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

MAGAZINE

COMPACT SIZE 15 ROUND MAGAZINE WITH +3 **ALUMINIUM EXTENSION**

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSIONS PRODUCED ON A HIGH PRECISION. FULLY-EQUIPPED PRODUCTION LINE BY MEG-CAR, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD.THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GARS'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, ENCREASING FREEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAS SHOT.







FEATURES

18 (15+3) ROUND 9X19MM CAPACITY +3 ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC GAR INTERCHANGEABLE COMPONENT STRUCTURE **EASY MAINTENANCE**



CNC TECH







WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-029

FITS

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

FULL SIZE 18 ROUND MAGAZINE

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EOUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST. DOWN TO THE LAST SHOT.



FEATURES

18 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



CNC TECH













NARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-030

FITS

TP9 V2 - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 DA - TP9 SF MOD 2 - TP9 SFx - TP9 SFx MOD 2 TP9 SFT - TP9 SFL - TP9 SAT - TP9 SFX METE - TP9 SFT METE - METE SFT - METE SFT PRO METE SFX - METE SFX PRO - SFX RIVAL

MAGAZINE

SUB COMPACT SIZE 12 ROUND MAGAZINE

THE SUB COMPACT SIZE 12 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

12 ROUND 9X19MM CAPACITY POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE

MMAC-059

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO

MAGAZINE

SUB COMPACT SIZE 12 ROUND MAGAZINE WITH **FINGER REST**

THE SUB COMPACT SIZE 12 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION. FULLY-EOUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.







FEATURES

12 ROUND 9X19MM CAPACITY EXTRA GRIP SURFACE WITH FINGER REST BASE PLATE DOUBLE-STACK DESIGN STANDARD BLACK POLYMER BASE PLATE INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE VIEWING WINDOWS FOR VISUAL CONFIRMATION HIGH OUALITY ANTI-FRICTION COATING CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR®











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-060

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC -METE SC PRO



SUB COMPACT SIZE 15 ROUND MAGAZINE WITH **FINGER REST**

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

15 ROUND 9X19MM CAPACITY POLYMER BASE PLATE WITH GRIP EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



HIGH QUALITY CNC TECH













WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-061

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC - METE SC PRO

MAGAZINE

SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

17 (15+2) ROUND 9X19MM CAPACITY +2 POLYMER EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-062

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC - METE SC PRO

MAGAZINE

17 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS)

THE 17 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH OUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



17 ROUND 9X19MM CAPACITY POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE **EASY MAINTENANCE**



CNC TECH







WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-124

FITS

P120 - SFC 100 - PIRANHA - PIRANHA F - STRINGRAY - STANDART - LIGHT - S120 - SHARK SHARK FC

15 ROUNDS STANDARD MAGAZINE (COMPACT SIZE METAL FRAMED PISTOLS)

THE 15 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION. FULLY-EQUIPPED PRODUCTION LINÉ BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



15 ROUND 9X19MM CAPACITY POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



CNC TECH













NARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-125

FITS

COMPACT - C100 - PIRANHA-C - PIRANHA CF - P100 - SHARK C - STRINGRAY C

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE WITH +2 **EXTENSION**

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



20(18+2) ROUND 9X19MM CAPACITY +2 POLYMER EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-148

FITS

TP9 V2 - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 DA - TP9 SF MOD 2 - TP9 SFx - TP9 SFX MOD 2 TP9 SFT - TP9 SFL - TP9 SAT - TP9 SFX METE - TP9 SFT METE - METE SFT - METE SFT PRO METE SFX - METE SFX PRO

MAGAZINE

FULL SIZE 10 ROUND MAGAZINE

THE FULL SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.







FEATURES

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



HIGH QUALITY CNC TECH









WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-203

FITS

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFX - TP9 SFL - TP9 SFT - METE SFT METE SFT PRO - METE SFx - METE SFx PRO - SFx RIVAL

COMPACT SIZE 10 ROUND MAGAZINE WITH +3 **EXTENSION**

THE COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS ALUMINIUM EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE **EASY MAINTENANCE**



HIGH QUALITY CNC TECH











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-195

FITS

TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE - TP9 SF ELITE -S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - METE SF - METE SF PRO

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE **EXTENSION**

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



20(18+2) ROUND 9X19MM CAPACITY FDE +2 POLYMER EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE













WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-424

FITS

TP9 SFX - TP9 SFL - METE SFX - METE SFX PRO - TP9 V2 - TP DA - TP9 SF - TP9 SA TP9 SA MOD 2

MAGAZINE

SUB COMPACT SIZE 10 ROUND MAGAZINE

THE SUB COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN STANDARD BLACK POLYMER BASE PLATE VIEWING WINDOWS FOR VISUAL CONFIRMATION HIGH QUALITY ANTI-FRICTION COATING CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE

EASY MAINTENANCE











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-145

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO

SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION IS PRODUCED ON A HIGH PRECISION. FULLY-EOUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



18 (15+3) ROUND 9X19MM CAPACITY +3 POLYMER EXTENSION DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE















NARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-460

FITS

TP9 ELITE SC - METE SC - METE SC PRO

MAGAZINE

COMPACT SIZE 10 ROUND MAGAZINE

THE COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE

MMAC-198

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

MAGAZINE

SUB COMPACT SIZE 10 ROUND MAGAZINE WITH **FINGER REST**

THE SUB COMPACT SIZE 10 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®. THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



10 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS EXTRA GRIP SURFACE WITH FINGER REST BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE













WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-146

FITS

TP9 SUB ELITE - TP9 SUB METE - METE SC - METE SC PRO



FULL SIZE 18 ROUND MAGAZINE WITH FDE BASE PLATE

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION. FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.







FEATURES

18 ROUND 9X19MM CAPACITY FDE POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE



HIGH QUALITY CNC TECH











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-423

FITS

TP9 V2 - TP9 DA - TP SF - TP SA - TP9 SA MOD 2 - TP9 SFX - TP9 SFL - METE SFX METE SFX PRO

MAGAZINE

19(17+2) ROUNDS STANDARD EXTENDED MAGAZINE (FULL SIZE METAL FRAMED PISTOLS)

THE 19(17+2) ROUNDS STANDARD EXTENDED MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

19 (17+2) ROUND 9X19MM CAPACITY +2 POLYMER EXTENDED BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE ONLY USE WITH COMPATIBLE PISTOL MODELS

MMAC-274

FITS

STANDART - LIGHT - S120 - L120 - SHARK - SHARK FC - P120 - SFC100 - PIRANHA PIRANHA F - STRINGRAY

MAGAZINE

FULL SIZE 10 ROUND MAGAZINE

THE FULL SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



10 ROUND 9X19MM CAPACITY TRUNCATED MAGAZINE BODY DESIGN PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE









WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-489

FITS

TP9 SFT - METE SFT - METE SFT PR0 - METE SFx - METE SFx PR0 - SFx RIVAL - TP9 V2 - TP9 DA TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFx - TP9 SFL

FULL SIZE 15 ROUND MAGAZINE

THE FULL SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EOUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST. DOWN TO THE LAST SHOT.



15 ROUND 9X19MM CAPACITY DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 15 ROUNDS POLYMER BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING (AFC) CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE













WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-457

FITS

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFx - TP9 SFx - TP9 SFL - TP9 SFT METE SFT - METE SFT PRO - METE SFx - METE SFx PRO

MAGAZINE

COMPACT SIZE 10 ROUND MAGAZINE

THE COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



10 ROUND 9X19MM CAPACITY TRUNCATED MAGAZINE BODY DESIGN PREVENTS LOADING MORE THAN 10 ROUNDS POLYMER FLAT BASE PLATE DOUBLE-STACK DESIGN WITNESS HOLES FOR VISUAL CONFIRMATION ANTI-FRICTION COATING(AFC) CORROSION RESISTANT DEVELOPED AND MANUFACTURED BY MEC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE EASY MAINTENANCE















WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE

MMAC-490

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO







MAG-WELL

CANIK® COMPETITION FULL-SIZE LARGE **MAG-WELL**

THE CANIK® COMPETITION FULL SIZE LARGE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS











IARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL

MMAC-133

TP9 SFX METE - TP9 SFT METE - TP9 SFX MOD 2 - TP9 SF MOD 2

MAG-WELL

CANIK® STANDARD COMPACT SIZE MAG-WELL

THE CANIK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM **BLACK FINISH INCLUDES ALLEN KEY & SCREWS**











FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECEIC PRODUCT CODE PACNOSOO (MMAC - 024) CANÍK STANDART COMPACT SIZE BACKSTRAP

IG! CANÍK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION ONLY INSTALL ON COMPATIBLE MODELS

MMAC-027

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

MAG-WELL

CANIK® STANDARD COMPACT SIZE FDE **MAG-WELL**

THE CANIK® STANDARD COMPACT SIZE fde MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM FDE FINISH **INCLUDES ALLEN KEY & SCREWS**











PACN0500 (MMAC - 024) CANÍK STANDARD COMPACT SIZE BACKSTRAP.

Narning! Canik® parts should be installed by a competent. Qualified gunsmith with an understanding of the firearn PLATFORM THAT THE PARTS ARE BEING INSTALLED ON, REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP

MMAC-422

TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 SF ELITE-S COMBAT - TP9 SF ELITE TP9 SF ELITE-S*SEE BACK

MAG-WELL

CANIK® COMPETITION FULL SIZE MEDIUM **BRASS MAG-WELL**

THE CANIK® COMPETITION FULL SIZE MEDIUM BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED. THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN MADE BY BRASS

CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE.

MMAC - 024 CANIK® STANDARD COMPACT SIZE BACKSTRAP. - MMAC - 343 CANIK® COMPACT SIZE BRASS BACKSTRAP (SMALL) MMAC - 341 CANIK® COMPACT SIZE ALUMUNIUM BACKSTRAP (SMALL). - MMAC - 342 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL).

MMAC - 344 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM). - MMAC - 345 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDILIM)

MMAC - 346 CANIK® COMPACT SIZE BRASS BACKSTRAP (MEDILIM)

WARNING! CANÍK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP

MMAC-381

TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 SF ELITE-S COMBAT - TP9 SF ELITE TP9 SF ELITE-S*SEE BACK

MAG-WELL

CANIK® STANDARD FULL SIZE FDE MAG-WELL

THE CANIK® STANDARD FULL SIZE FDE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED. THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM FDE FINISH

INCLUDES ALLEN KEY & SCREWS













WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL

MMAC-421

TP9 SFX MOD 2 - TP9 SFX METE - TP9 SFT METE

MAG-WELL

CANIK® STANDARD FULL SIZE MAG-WELL

THE CANIK® STANDARD FULL-SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR easier RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY AVIATION ALUMINUM **BLACK FINISH INCLUDES ALLEN KEY & SCREWS**













WARNING! CANÍK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-026

TP9 SFT METE - TP9 SFX METE - TP9 SFX MOD 2



MAG-WELL

CANIK® COMPETITION FULL-SIZE SMALL **MAG-WELL**

THE CANIK® COMPETITION FULL SIZE SMALL BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS











WARNING! CANÍK® PARTS SHOULD BE INSTALLED BY A COMPETENT OUALIEED GUNSMITH WITH AN LINDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE REING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED AND PISTOL LISER MANUAL ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART.THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP

MMAC-135

TP9 SFX METE - TP9 SFT METE - TP9 SFX MOD 2 - TP9 SF MOD 2

MAG-WELL

CANIK® COMPETITION FULL SIZE SMALL BRASS MAG-WELL

THE CANIK® COMPETITION FULL SIZE SMALL BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME. IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN MADE BY BRASS CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM SPECIAL DESIGN BASE PLATE INCLUDES BASE PLATE, ALLEN KEY & SCREWS



HIGH QUALITY CNC TECH

FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE. MMAC - 024 CANIK® STANDARD COMPACT SIZE BACKSTRAP.-MMAC - 343 CANIK® COMPACT SIZE BRASS BACKSTRAP (SMALL). MMAC - 341 CANIK® COMPACT SIZE ALUMUNIUM BACKSTRAP (SMALL). - MMAC - 342 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL)

MMAC - 344 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM). - MMAC - 345 CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM).

MMAC - 346 CANIK® COMPACT SIZE BRASS BACKSTRAP (MEDILIM)

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAF

MMAC-380

TP9 SF METE - TP9 METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE TP9 SF ELITE-S*SEE BACK

MAG-WELL

TCS® STANDARD FULL SIZE MAG-WELL

THE TCS® STANDARD FULL SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM **BLACK FINISH INCLUDES ALLEN KEY & SCREWS**









NARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP

MMAC-161

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 DA - TP9 SFT - TP9 SA MOD 2 - TP9 SFX

MAG-WELL

TCS® STANDARD COMPACT SIZE MAG-WELL

THE TCS® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM **BLACK FINISH** INCLUDES ALLEN KEY & SCREWS













WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-160

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE - TP9 SF METE-S - TP9 SF ELITE TP9 SF ELITE-S - METE SF - METE SF PRO







TCS® ALUMINUM +3 RED MAGAZINE **EXTENSION**

THE TCS® ALUMINUM +3 RED MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHAILENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE **BELOW COMPATIBILITY INFORMATION)** EASY TO INSTALL NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING RED FINISH







NOTICE REGARDING COMPATIBILITY THIS MAGAZINE EXTENSION REQUIRES THE USE OF THE CANIK EXTENDED MAGAZINE SPRING (MMAC-262)

MMAC-072

TPQ V2*SEE BACK - TPQ SF*SEE BACK - TPQ SF MON 2*SEE BACK - TPQ SA*SEE BACK - TPQ SA MON 2*SEE BACK TPQ NA*SEE BACK TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT*SEE BACK - TP9 SFX*SEE BACK METE SFX*SEE BACK - METE SFX PRO*SEE BACK - METE SFT*SEE BACK - METE SFT PRO*SEE BACK - METE SF - METE SF PRO

MAGAZINE EXTENSION

TCS® ALUMINUM +4 RED MAGAZINE **EXTENSION**

THE TCS® ALUMINUM +4 RED COLOR MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHAILENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +4 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE BELOW COMPATIBILITY INFORMATION) EASY TO INSTALL NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING RED COLOR FINISH







NOTICE REGARDING COMPATIRILITY THIS MAGAZINE EXTENSION RECUIRES THE USE OF THE CANIK EXTENDED MAGAZINE SPRING (MMAC-262)

MMAC-073

TP9 V2*SEE BACK - TP9 SF*SEE BACK - TP9 SF MOD 2*SEE BACK - TP9 SA*SEE BACK - TP9 SA MOD 2*SEE BACK TP9 DA*SEE BACK TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT*SEE BACK - TP9 SFx*SEE BACK METE SFX*SEE BACK - METE SFX PRO*SEE BACK - METE SFT*SEE BACK - METE SFT PRO*SEE BACK - METE SF - METE SF PRO

MAGAZINE EXTENSION

TCS® ALUMINUM +3 GOLD MAGAZINE **EXTENSION**

THE TCS® ALUMINUM +3 GOLD COLOR MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE BELOW COMPATIBILITY INFORMATION) EASY TO INSTALL NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION TYPE III ALUMINUM HARD ANODIZED COATING **GOLD FINISH**







NOTICE REGARDING COMPATIRILITY THIS MAGAZINE EXTENSION REQUIRES THE USE OF THE CANIK EXTENDED MAGAZINE SPRING (MMAC-262)

MMAC-260

TP9 V2*SEE BACK - TP9 SF*SEE BACK - TP9 SF MOD 2*SEE BACK - TP9 SA *SEE BACK - TP9 SA MOD 2*SEE BACK TP9 DA*SEE BACK TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT*SEE BACK - TP9 SFX*SEE BACK METE SFX*SEE BACK - METE SFX PRO*SEE BACK - METE SFT*SEE BACK - METE SFT PRO*SEE BACK - METE SF - METE SF PRO

TCS® ALUMINUM +4 GOLD MAGAZINE EXTENSION

THE TCS® ALUMINUM +4 GOLD COLOR MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +4 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE BELOW COMPATIBILITY INFORMATION)
EASY TO INSTALL
NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION
TYPE III ALUMINUM HARD ANODIZED COATING
GOLD FINISH









NOTICE REGARDING COMPATIBILITY THIS MAGAZINE EXTENSION REQUIRES THE USE OF THE CANIK EXTENDED MAGAZINE SPRING (MMAC-262)

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.

PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANDTHER PERSON WHITE MEMOVING THE BASE PLATE. WEAR EY

POTTETTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS, DAILY INSTALL ON COMMATTRIE MODELS.

MMAC-264

FITS

TP9 V2*SEEBACK - TP9 SF*SEEBACK - TP9 SF MOD 2*SEEBACK - TP9 SA MOD 2*SEEBACK - TP9 SA MOD 2*SEEBACK TP9 DA*SEEBACK
TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT*SEEBACK - TP9 SFX*SEEBACK
METE SFX*SEEBACK - METE SFX PRO*SEEBACK - METE SFT*SEEBACK - METE SFT PRO*SEEBACK - METE SF - METE SF - PRO*SEEBACK - METE SFX PRO*SEEBACK - METE SFX - METE SFX PRO*SEEBACK - METE SFX - METE SFX PRO*SEEBACK - METE SFX - METE SFX PRO*SEEBACK - METE SFX - METE SFX - METE SFX - METE SFX PRO*SEEBACK - METE SFX - METE SFX - METE SFX PRO*SEEBACK - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE SFX - METE S

MAGAZINE EXTENSION

TCS® ALUMINUM +3 TUNGSTEN MAGAZINE EXTENSION

THE TCS® ALUMINUM +3 TUNGSTEN COLOR MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE
BELOW COMPATIBILITY INFORMATION)
EASY TO INSTALL
NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION
TYPE III ALUMINUM HARD ANODIZED COATING
TUNGSTEN FINISH







HIGH QUALITY CNC TECH

NOTICE REGARDING COMPATIBILITY THIS MAGAZINE EXTENSION REQUIRES THE USE OF THE CANIK EXTENDED MAGAZINE SPRING (MMAC-262)

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EVER A STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD S

MMAC-261

FIIS

TP9 V2*SEBACK - TP9 SF*SEBACK - TP9 SF MOD 2*SEBACK - TP9 SA *SEBACK - TP9 SA MOD 2*SEBACK TP9 DA*SEBACK
TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT*SEBACK - TP9 SFX*SEBACK
METE SFX*SEBACK - METE SFX PRO*SEBACK - METE SFT*SEBACK - METE SFT PRO*SEBACK - METE SF - METE SF PRO

MAGAZINE EXTENSION

TCS® ALUMINUM +4 TUNGSTEN MAGAZINE EXTENSION

THE TCS® ALUMINUM +4 TUNGSTEN COLOR MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS TCS® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +4 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING FOR MOST MODELS (SEE
BELOW COMPATIBILITY INFORMATION)
EASY TO INSTALL
NO ADDITIONAL TOOLS NEEDED FOR INSTALLATION

NO ADDITIONAL TOOLS NEEDED FOR INSTALLATIC
TYPE III ALUMINUM HARD ANODIZED COATING
TUNGSTEN FINISH





NE EXTENSION REQUIRES THE USE OF THE CANÍK EXTENDED MAGAZINE S

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.

PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE

POTTETTION INNETALL IN A COODDAINE WITH THE INSTALL ATION INSTRUCTIONS, ONLY INSTALL ON COMMATBILE MODELS.

MMAC-266

FITS

(MMAC-262)

TP9 V2*SEEBACK - TP9 SF*SEEBACK - TP9 SF MOD 2*SEEBACK - TP9 SA*SEEBACK - TP9 SA MOD 2*SEEBACK TP9 DA*SEEBACK

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S - TP9 SFT*SEEBACK - TP9 SFX*SEEBACK

METE SFX*SEEBACK - METE SFX PR0*SEEBACK - METE SFT*SEEBACK - METE SFT PR0*SEEBACK - METE SF - METE SF PR0



CANIK® STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANIK® STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
TYPE III ALUMINUM HARD ANODIZED COATING
TUNGSTEN FINISH













WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE-PLEASE OO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION.

MMAC-453

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE

TP9 SF METE-S - METE SF - METE SF PR0

MAGAZINE EXTENSION

CANIK® STANDARD ALUMINUM +3 RED MAGAZINE EXTENSION

THE CANIK® STANDARD ALUMINUM +3 RED MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
TYPE III ALUMINUM HARD ANODIZED COATING
RED FINISH











WARNINGIFOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE OD NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR AND HER PERSON WHILE REMOVING THE BASE PLATE WEAR FYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-454

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE

TP9 SF METE-S - METE SF - METE SF PRO

MAGAZINE EXTENSION

CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION

THE CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
BLACK FINISH













WARNING! FOR ASSEMELY, DISASSEMELY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTIONINSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-013

FITS

TP9 SF ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE
TP9 SF METE-S - METE SF - METE SF PR0 - TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MDD 2
TP9 SF MDD 2 - TP9 SFx METE - TP9 SFT METE - METE SFT - METE SFT PR0 - METE SFX -METE SFX PR0
TP9 SFX - SFX RIVAL

CANIK® STANDARD ALUMINUM +0 MAGAZINE **BASE PLATE**

THE CANIK® ALUMINUM +O MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE EXTENSION OR POLYMER BASE PLATE THIS CANIK® MAGAZINE BASEPLATE HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASEPLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE. HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

MADE OF ALUMINUM EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING BLACK FINISH

















VARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE

MMAC-136

FITS

ALL TP9 & METE SERIES MAGAZINES

MAGAZINE EXTENSION

CANIK® STANDARD POLYMER +2 MAGAZINE **EXTENSION**

THE CANIK® STANDARD POLYMER +2 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +2 ROUNDS CAPACITY DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN) EASY TO INSTALL HIGH QUALITY FIBER GLASS REINFORCED POLYMER NO TOOLS ARE REQUIRED FOR INSTALLATION SERRATED DESIGN **EASY MAINTENANCE**









WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE

MMAC-014

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

MAGAZINE EXTENSION

CANIK® STANDARD BRASS + 0 MAGAZINE **BASE PLATE**

THE CANIK® BRASS+O MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE EXTENSION OR POLYMER BASE PLATE. THIS CANIK® MAGAZINE BASEPLATE HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASEPLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

MADE OF BRASS EASY TO INSTALL NO TOOLS ARE REQUIRED FOR INSTALLATION











PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-382

FITS

ALL TP9 8 METE SERIES MAGAZINES



CANIK® STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANIK® STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOURSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +2 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
HIGH QUALITY FIBER GLASS REINFORCED POLYMER
NO TOOLS ARE REQUIRED FOR INSTALLATION
SERRATED DESIGN
EASY MAINTENANCE
TUNGSTEN FINISH












WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.
PLEASE ON NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PRESON WHILE REMOVING THE BASE PLATE. WEAR EYE
PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMMATTBLE MODELS.


MMAC-455


FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE

TP9 SF METE-S - METE SF - METE SF PRO







OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

CANIK® COMPACT SIZE BACKSTRAP (2 SIZES)

THE CANIK® STANDARD COMPACT SIZE BACKSTRAP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR CANIK FIREARM. THE TWO INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PERFERRED GRIP. THIS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

DESIGNED BY CANIK® COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS 2 DIFFERENT SIZES





MMAC-024

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 **ELITE-S COMBAT** METE SF

BACKSTRAP

CANIK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUGSTEN COLOR







IING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-329

FITS

TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

BACKSTRAP

CANIK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR







Yarning! Canik®parts should be installed by a competent, qualified gunsmith with an understanding of the firearm PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-328

FITS

TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

CANIK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR







NARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-333

FITS

TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

BACKSTRAP

CANIK® FULL SIZE BRASS BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL







WARNING! CANIK®P ARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

MMAC-332

FITS

TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

BACKSTRAP

CANIK® FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.







FEATURES

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL







WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

MMAC-335

FITS

TP9 SFX - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2



CANIK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUNGSTEN COLOR







NG! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-334

TP9 SFx - TP9 V2 - TP9 DA - TP9 SA - TP9 SF - TP9 SA MOD 2

BACKSTRAP

CANIK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUNGSTEN COLOR







ING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-337

FITS

TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SFX METE - METE SFX - METE SFT - METE SFX PRO METE SFT PRO

BACKSTRAP

CANIK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR







NARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARN PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-336

FITS

TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SFX METE - TP9 SFT METE - METE SFX - METE SFX PRO

CANIK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUNGSTEN COLOR







ATTENTION FULL SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

NARNING! CANÍK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM ONLY INSTALL ON COMPATIBLE MODELS

MMAC-339

FITS

TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SFX METE - TP9 SFT METE - METE SFX - METE SFX PRO

BACKSTRAP

CANIK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR









ATTENTION FILL SIZE ALLIMINIUM RACKSTRAP IS ONLY COMPATIBLE WITH FILL SIZE MAG-WELL MMAC-026 / MMAC-134 WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL

MMAC-338

FITS

TP9 SFX MOD 2 -TP9 SF MOD 2 - TP9 SFX METE - TP9 SFT METE - METE SFX - METE SFT METE SFX PRO - METE SFT PRO

BACKSTRAP

CANIK® FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.





FEATURES

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL







PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

MMAC-341

FITS

TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFX - METE SFT METE SFX PRO - METE SFT PRO



CANIK® FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.







FEATURES

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL







ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-340

FITS

TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SFX METE - TP9 SFT METE - METE SFX - METE SFT METE SFX PRO - METE SFT PRO

BACKSTRAP

CANIK® COMPACT SIZE BRASS BACKSTRAP (SMALL)

THE CANIK® COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE BRASS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.







FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL TUNGSTEN COLOR







ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-343

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

BACKSTRAP

CANIK® COMPACT SIZE ALUMINIUM **BACKSTRAP (SMALL)**

THE CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.







FEATURES

MADE BY ALUMINIUM FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR







ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-345

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

CANIK® COMPACT SIZE ALUMINIUM **BACKSTRAP (MEDIUM)**

THE CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.







FEATURES

ORIGINAL DESIGN MADE BY ALUMINIUM COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL BLACK COLOR









ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-344

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

BACKSTRAP

CANIK® FULL SIZE BRASS BACKSTRAP (SMALL)

THE CANIK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.







FEATURES

ORIGINAL DESIGN MADE BY BRASS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL









ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-135 WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-347

FITS

TP9 SFx MOD 2 - TP9 SF MOD 2 - TP9 SFx METE - TP9 SFT METE - METE SFX - METE SFT METE SFX PRO - METE SFT PRO

BACKSTRAP

CANIK® COMPACT SIZE BRASS BACKSTRAP (MEDIUM)

THE CANIK® COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE BRASS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.







FEATURES

ORIGINAL DESIGN MADE BY BRASS COMPATIBLE WITH COMPACT SIZE MAG-WELLS FAST ASSEMBLY WITH USER-FRIENDLY DESIGN EFFECTIVE AND COMFORTABLE SHOOTING SPECIAL DESIGN FOR MAXIMUM ERGONOMY SPECIAL TEXTURE FOR EXTRA CONTROL









ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-346

FITS

TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SFX METE - TP9 SFT METE - METE SFX - METE SFT METE SFX PRO - METE SFT PRO



CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGH STRENGTH AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH HIGH FNERGY 9X19MM AMMINITION

RECOIL SPRING

CANIK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOW STRENGTH AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH LOWER ENERGY 9X19MM AMMUNITION.

RECOIL SPRING

CANIK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANİK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

RED COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



I<mark>arning!</mark> using +p+ ammunition with this recoil spring could result in damage or destruction to your pistoi Or installation instructions please refer to your pistol owners manual only install on compatible models

MMAC-010

FITS

TP9 SF METE - TP9 SF METE-S



FEATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED











FEATURES

RED COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED









V<mark>arning:</mark> using +P+ ammunition with this recoil spring could result in damage or destruction to your pistol Or installation instructions please refer to your pistol owner's manual only install on compatible models

MMAC-054

FITS

TP9 SA - TP9 SAT - TP9 SF - TP9 SFX - TP9 SFL - TP9 SFT - SFX RIVAL - TP9 SA MOD 2
TP9 SFT METE - TP9 SFX METE - METE SFT - METE SFX - METE SFT PRO - METE SFX PRO



CANIK® FULL SIZE RECOIL LOW FORCE SPRING ASSEMBLY

THE CANİK® FULL SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED







COMBAT **Proven**

W<mark>arning!</mark> using +P+ ammunition with this recoil spring could result in damage or destruction to your pistol For installation instructions please refer to your pistol owner's manual only install on compatible models

MMAC-053

FITS

TP9 SA - TP9 SAT - TP9 SF - TP9 SFx - TP9 SFL - TP9 SFT - SFX RIVAL - TP9 SA MOD 2
TP9 SFT METE - TP9 SFX METE - METE SFX - METE SFX - METE SFT PRO - METE SFX PRO

RECOIL SPRING

CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

RED COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED









NARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-138

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF METE SF PRO

RECOIL SPRING

CANIK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANİK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FFATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED









WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-137

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF
METE SF PRO



CANIK® FULL SIZE LOW FORCE RECOIL SPRING **ASSEMBLY**

THE CANIK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L". MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

FEATURES

BLUE COLOR SPRING REDUCES FELT RECOIL. BETTER FOLLOW UP SHOTS GLOSSY SURFACE FINISH TO REDUCE FRICTION RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING FITS WITH NO MODIFICATION NEEDED







WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNERS MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-187

FITS

TP9 V2 - TP9 DA - TP9 DAT

RECOIL SPRING

CANIK® SUB COMPACT RECOIL SPRING **ASSEMBLY (REPLACEMENT)**

THE CANIK® SUB COMPACT RECOIL SPRING ASSEMBLY PLAYS AN IMPORTANT ROLE DIRECTING RECOIL FORCES TO THE SLIDE AND BODY OF YOUR PISTOL WITH ITS TELESCOPIC STRUCTURE. IT SHOWS SUPERIOR PERFORMANCE EVEN UNDER EXTREMELY HIGH TENSIONS. REDUCES FRICTION THANKS TO ITS HIGH-OUALITY NICKEL-PLATED SURFACE.



FEATURES

PROVIDES BETTER FOLLOW UP SHOTS TELESCOPIC SPRING SYSTEM HIGH QUALITY NICKEL-PLATED REDUCES RECOIL PROTECTS YOUR SLIDE FROM IMPACTS NO MODIFICATIONS NEEDED









WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO VOUR PISTOL OWNERS MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-139

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC - METE SC PRO

RECOIL SPRING

CANIK® SUB COMPACT LOW FORCE RECOIL SPRING ASSEMBLY

THE CANIK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH CARTRIDGES WHICH ARE LOW STRENGTH. IT ALSO PLAYS AN IMPORTANT ROLE DIRECTING RECOIL FORCES TO THE SLIDE AND BODY OF YOUR PISTOL. THIS WILL HELP YOU MAKE FAST FOLLOW UP SHOTS. THE RECOIL SPRING, MARKED WITH BLUE PAINT IS INTENDED TO BE USED WITH LOW ENERGY 9X19MM AMMUNITION.



FEATURES

BLUE COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS TELESCOPIC SPRING SYSTEM NICKEL-PLATED FITS WITH NO MODIFICATION NEEDED











WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO VOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-201

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - TP9 ELITE SC - TP9 ELITE SC CAS METE SC - METE SC PRO

CANIK® FULL SIZE HIGH FORCE RECOIL SPRING **ASSEMBLY**

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H". MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

RED COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS GLOSSY SURFACE FINISH TO REDUCE FRICTION RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING FITS WITH NO MODIFICATION NEFDED









WARNING! LISING +P+ AMMINITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO VOLIR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO VOLIR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-188 FITS TP9 V2 - TP9 DA - TP9 DAT

RECOIL SPRING

CANIK® SUB COMPACT HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

RED COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS TELESCOPIC SPRING SYSTEM NICKEL-PLATED FITS WITH NO MODIFICATION NEEDED













WARNING! LISING +P+ AMMINITION WITH THIS RECOIL SPRING COLL OR RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO VOLIR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-291

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - TP9 ELITE SC - TP9 ELITE SC CAS METE SC - METE SC PRO

SPRINCO® RECOIL SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.



FEATURES

REDUCES MUZZLE FLIP FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGH ACQUISITOON REDUCES FELT (PERCEIVED) RECIOL PROTECTS YOUR FIREARM FROM SLIDE BATTERING LEGAL FOR COMPETITION IN MIST IDPA*, USPA AND CMP DIVISIONS 17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCTION CHROME SILICON WIRE SECONDARY SPRING NEVER HAVE TO BE REPLACED





FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO VOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIRLE MODELS



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL

MMAC-103

FITS

ONLY FOR SFX MODELS



SPRINCO® RECOIL SPRING

SPRINCO® RECOIL SPRING

MAGAZINE SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS. INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.



FEATURES

REDUCES MUZZLE FLIP FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITOON REDUCES FELT (PERCEIVED) RECOIL PROTECTS YOUR FIREARM FROM SLIDE BATTERING LEGAL FOR COMPETITION IN MOST IDPA*, USPA AND DIVISIONS 17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCTION CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED



FEATURES REDUCES MUZZLE FLIP

FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITIOON REDUCES FELT (PERVEIVED) RECOIL PROCTECTS YOUR FIREARM FROM SLIDE BATTERING LEGAL FOR COMPETITION IN MOST IDPA, USPA AND CMP DIVISIONS

17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCTION CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED







WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. WARNING! LISING +P+ AMMINITION WITH THIS RECOIL SPRING COLL OR RESULT IN DAMAGE OR DESTRUCTION TO VOLIR PISTOL FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO VOUR PISTOL OWNERS MANUAL ONLY INSTALL ON COMPATIBLE MODELS FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO VOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-262

FITS

TP9 ELITE SC - TP9 ELITE SC CAS - METE SC - METE SC PRO

REDUCES MUZZLE FLIP FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITIOON REDUCES FELT (PERCEIVED) RECOIL PROTECTS YOUR FIREARM FROM SLIDE BATTERING LEGAL FOR COMPETITION IN MOST IDPA*, ISPSA, AND CMP DIVISIONS 17-4 H900 HEAT TREATEDSTAINLESS STEEL CONSTRUCT ON CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED











WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNERS MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-102

FITS

TP9 ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 DA

MMAC-104

FITS

TP9 SF - TP9 SA - TP9 SFL - TP9 SFT - TP9 SF MOD 2 - TP9 SA MOD 2 - SFX RIVAL

CANIK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY (PHILIPPINE EDITION)

THE CANI K® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L". MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

BLUE COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS GLOSSY SURFACE FINISH TO REDUCE FRICTION RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING FITS WITH NO MODIFICATION NEEDED









WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-491

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF METE SF PRO

RECOIL SPRING

CANIK® SUB COMPACT HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANIK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

RED COLOR SPRING REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS TELESCOPIC SPRING SYSTEM NICKEL-PLATED FITS WITH NO MODIFICATION NEEDED














WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL ONLY INSTALL ON COMPATIBLE MODELS.


MMAC-291

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - TP9 ELITE SC - TP9 ELITE SC CAS METE SC - METE SC PRO







OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

SIGHT SET (FIBER FRONT & BLACKED OUT REAR SIGHT)

THE WARREN® DESIGNED CANİK® SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THE FIBER OPTIC FRONT SIGHT AND BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.



FEATURES

FIBER OPTIC FRONT SIGHT 'U' SHAPED, BLACKED OUT REAR SIGHT









ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA COM.

(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

WARNING! CANKE® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-002

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

SIGHT

WARREN® BLACK OUT REAR SIGHT & CANIK® WHITE DOT FRONT SIGHT SET

THE WARREN® BLACKED OUT REAR SIGHT AND THE CANİK® WHITE DOT FRONT SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



FEATURES

WHITE DOT FRONT SIGHT 'U' SHAPED, BLACKED OUT REAR SIGHT









ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.
(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 VZ 1642 10 40151 AND HIGHER PP SA 16472-16 AP 00201 AND HIGHER 1P9 SF 16472-15 AT 33001 AND HIGHER (MMAC - 035) CANIK'S "GIGHT ADUISTMENT TOOL

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the Parts are being installed on refer to installation instructions provided, and pistol user manual only install in Compatible Homeon's

MMAC-005

FITS

TP9 V2*SEBACK - TP9 DA - TP9 SF*SEBACK - TP9 SA*SEBACK - TP9 SF ELITE

TP9 SF ELITE-S - TP9 SFL

SIGHT

CANIK® 3 WHITE DOT SUPPRESSOR SIGHT SET

THE CANIK® 3 WHITE DOT TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.



FEATURES

WHITE DOT FRONT SIGHT
2 WHITE DOT FRAN SIGHT
ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION
'U' SHAPED TWO WHITE DOT REAR SIGHT











ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM

NOTICE REGARDING COMPATIBILITY THIS SIGHT SELTS COMPATIBLE WITH THE FULLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING CANINE PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user manual only install on compatible models.

MMAC-004

FITS

TP9 ELITE SC - TP9 SFx MOD 2 - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 ELITE-S COMBAT TP9 SF METE - TP9 SF METE - S - TP9 SFx METE - TP9 SFT METE - TP9 SUB METE TP9 V2*SEE BACK TP9 SF*SEE BACK - TP9 SA*SEE BACK - TP9 DA - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT

WARREN® FIBER OPTIC FRONT SIGHT

THE WARREN® FIBER OPTIC FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS.

SIGHT

CANIK® WHITE DOT FRONT SIGHT

THE CANIK® WHITE DOT FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS

SIGHT

WARREN® TACTICAL SUPPRESSOR SIGHT (FIBER FRONT & WIDE BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.



FEATURES

FIBER OPTIC FRONT SIGHT



FEATURES

WHITE DOT FRONT SIGHT



FEATURES

HIGH FIBER OPTIC FRONT SIGHT HIGH, 'U' SHAPED, BLACKED OUT REAR SIGHT





ATTENTION FOR PROPER INSTALLATION, USE THE CANİK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANİKUSA.COM.

NARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.







ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL.

MMAC-007

ONLY INSTALL ON COMPATIBLE MODELS.

(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

FITS

TP9 V2-TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF MOD 2 - TP9 SF METE-S - TP9 SF METE-S - TP9 SFX METE - TP9 ST METE - TP9 SUB METE TP9 SUB ELITE - TP9 ELITE SC - TP9 SFX - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE METE SF PRO - METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - METE SC - METE SC

MMAC-006

FITS

TP9 V2 - TP9 DA - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S
TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE-S - TP9 SFX METE - TP9 SFT METE - TP9 SUB METE
TP9 SUB ELITE - TP9 ELITE SC - TP9 SFX - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF METE SF PRO - METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - METE SC - METE SC PRO











PACN1000 (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOO

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO

MMAC-025

FITS

TP9 V2*SEE BACK - TP9 SF*SEE BACK - TP9 SA*SEE BACK - TP9 DA - TP9 SA MOD 2 - TP9 SF MOD 2 TP9 SF ELITE - TP9 SF ELITE-S



WARREN® REAR SIGHT WITH OPTIC LID

WARREN® REAR SIGHT WITH OPTIC LID ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.



FEATURES

'U' SHAPED TWO WHITE DOT REAR SIGHT PATRIOT BROWN COLOR











ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-023

FITS

TP9 SFX - TP9 SFX MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

SIGHT

WARREN® WIDE BLACK OUT REAR SIGHT

THE WARREN® WIDE BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR OUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.



FEATURES

"U" SHAPED BLACKED OUT REAR SIGHT









ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-088

FITS

TP9 SFX - TP9 SFX MOD 2 - TP9 ELITE COMBAT - TP9 ELITE COMBAT-S

SIGHT

WARREN® NARROW BLACK OUT REAR SIGHT

THE WARREN® NARROW BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR OUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.



FEATURES

"U" SHAPED BLACKED OUT REAR SIGHT







ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AL 0.4151 AND HIGHER TP9 SA T6472-16 AP 0.0201 AND HIGHER TP9 SE T6472-15 AT 33.001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. OUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-087

FITS

TP9 SA*SEE BACK - TP9 SA MOD 2 - TP9 SF*SEE BACK - TP9 SF ELITE - TP9 SF ELITE-S TP9 DA - TP9 SFL - TP9 V2*SEE BACH

WARREN® FIBER OPTIC FRONT AND BLACK OUT **REAR SIGHT SET**

THE WARREN® FIBER OPTIC FRONT AND BLACK OUT REAR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR OUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE OUICKLY TO THE FRONT SIGHT.



FEATURES

FIBER OPTIC FRONT SIGHT "U" SHAPED BLACKED OUT REAR SIGHT









ATTENTION FOR PROPER INSTALLATION, USE THE CANÍK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANÍKUSA.COM. (MMAC - 035)CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT OUGLIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED AND PISTOL LISER MANUAL ONLY INSTALL ON COMPATIBLE MODELS

MMAC-090

FITS

TP9 SA*SEE BACK - TP9 SA MOD 2 - TP9 SF*SEE BACK - TP9 SF ELITE - TP9 SF ELITE-S TP9 DA - TP9 SFL - TP9 V2*SEE BACK

SIGHT

CANIK® WHITE DOT FRONT SIGHT REAR SIGHT

THE CANIK® WIDE WHITE DOT FRONT SIGHT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.



FEATURES

WHITE DOT FRONT SIGHT











(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL. NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AL 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-089

FITS

TP9 SFX - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SUB METE - TP9 SFT METE TP9 SF METE-S - TP9 SF METE - TP9 SFx - TP9 V2*SEE BACK - TP9 SA*SEE BACK - TP9 SA MOD 2 TP9 SF*SEE BACK - TP9 SF ELITE - TP9 SFL - TP9 SF ELITE-S TP9 DA

SIGHT

CANIK® WHITE DOT FRONT SIGHT&SERRATED TACTICAL REAR SIGHT

THE CANIK® WHITE DOT FRONT SIGHT & SERRATED TACTICAL REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



FEATURES

WHITE DOT FRONT SIGHT ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION 'U' SHAPED SERRATED REAR SIGHT







ATTENTION FOR PROPER INSTALLATION, USE THE CANÍK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANÍKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 ALI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SE T6472-15 AT 33001 AND HIGHER WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT OHALIFED GUINSMITH WITH AN LINDERSTANDING OF THE FIRFARM

PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS

MMAC-158

TP9 - TP9 V2 - TP9 SF - TP9 SA - TP9 DA - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT TP9 ELITE-S COMBAT - TP9 SF METE - TP9 SF METE-S - TP9 SFX METE-S - TP9 SFX METE TP9 SFT METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC - TP9 SFX MOD 2 TP9 SA MOD 2 - TP9 SF MOD 2



CANIK® WHITE DOT FRONT SIGHT & METE **SERIES REAR SIGHT**

THE CANIK® WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



FEATURES

WHITE DOT FRONT SIGHT "U" SHAPED TWO WHITE DOT REAR SIGHT WITH WHITE CENTER LINE













ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL AVAILABLE FOR SALE ON CANIKUSA COM (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

ING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-091

FITS

TP9 SFX - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SUB METE - TP9 SFT METE TP9 SF METE-S - TP9 SF METE - TP9 SFX METE - TP9 V2*SEE BACK - TP9 SA*SEE BACK TP9 SA MOD 2 TP9 SF*SEE BACK - TP9 SF ELITE - TP9 SFL - TP9 SF ELITE-S - TP9 DA

SIGHT

CANIK® 3 WHITE DOT TACTICAL SIGHT SET

THE CANIK® 3 WHITE DOT TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



FEATURES

WHITE DOT FRONT SIGHT 2 WHITE DOT REAR SIGHT ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION 'U' SHAPED TWO WHITE DOT REAR SIGHT











ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL AVAILABLE FOR SALE ON CANIKUSA COM (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-202

FITS

TP9 SAT - TP9 DAT - TP9 SFT - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 SFx - TP9 SFx METE TP9 SF METE - TP9 SF METE-S - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC TP9 SFx MOD 2 - TP9 V2*SEE BACK - TP9 SF*SEE BACK - TP9 SA*SEE BACK TP9 DA - TP9 SF ELITE TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

SIGHT

CANIK® 3 DOT TRITIUM TACTICAL SIGHT SET

THE CANIK® 3 DOT TRITIUM TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



FEATURES

TRITIUM FRONT SIGHT 2 DOT TRITIUM TACTICAL REAR SIGHT ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION 'U' SHAPED TWO WHITE DOT REAR SIGHT











NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-299

FITS

TP9 ELITE SC - TP9 SFx MOD 2 - TP9 SFT - TP9 SA MOD 2 - TP9 SFx - METE SFx - METE SFx PRO METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SC - TP9 V2*SEE BACK - TP9 SF*SEE BACK METE SFX - METE SFX PRO - METE SF

CANIK ADJUSTABLE REAR SIGHT (TUNGSTEN)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.



FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS
MACHNIED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
TUNGSTEN COLOR









MARNIMEI CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM Platform that the parts are being installed on. Refer to installation instructions provided, and pistol user manual Divly wistal on compatible models.

MMAC-484

TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

SIGHT

CANIK ADJUSTABLE REAR SIGHT(FDE)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.



FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS
MACHNIED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
FDE COLOR









WARNING! CANIN® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-483

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

SIGHT

WARREN® TACTICAL SUPPRESSOR SIGHT (FIBER FRONT & BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.



FEATURES

HIGH FIBER OPTIC FRONT SIGHT HIGH, 'U' SHAPED, BLACKED OUT REAR SIGHT







CNC TECH


TENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.

NUMBERS TP9 V2 T6472-15 A1 04151 AND HIGHER TP9 SA T6472-16 AP DO DOZI AND HIGHER TP9 SF T6472-15 AT 23001 AND HIGHER WARNING! CANIX® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL ONLY INSTALLATION COMPATIBLE MODELS.

MMAC-003

FITS

TP9 DAT - TP9 SAT - TP9 SFT - TP9 V2*SEBACKTP9DA - TP9 SF*SEBACK - TP9 SF MOD 2
TP9*SEBACKTP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE - S - TP9 SFL - TP9 SFX - TP9 SFX MOD 2
TP9 ELITE COMBAT - TP9 ELITE-S COMBAT



OPTIC BASEPLATE OFFICIAL ACCESSORY PROGRAM

www.canik-store.com

OPTIC BASE PLATE

CANIK® OPTIC INTERFACE #1

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING TORX KEY (T10) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN









ING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUINSMITH

MMAC-034

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2 COMPATIBLE OPTICS: TRUGLO - DOCTER - MEOPTA - INSIGHT - VORTEX - MECANIK MO2

OPTIC BASE PLATE

CANIK® OPTIC INTERFACE #2

THE CANIK® OOPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING TORX KEY (T10) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON

MMAC-152

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2 COMBATIBLE OPTICS: TRIICON

OPTIC BASE PLATE

CANIK® OPTIC INTERFACE #3

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-OUALITY ELOXAL COATING TORX KEY (T10) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGN







NARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-153

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2 COMBATIBLE OPTICS: C-MORE STS

OPTIC BASE PLATE

CANIK® OPTIC INTERFACE #4

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING TORX KEY (T10) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN









WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-033

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX - TP9 SFX MOD 2

COMBATIBLE OPTICS: SHIELD SIGHTS™ SMS - LEUPOLD™ - J POINT™ - MECANIK MO1

OPTIC BASE PLATE

CANIK® OPTIC INTERFACE #5

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING TORX KEY (T10) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN









WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-549

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2 COMPATIBLE OPTICS: SIG SAUER ROMEO 2 MA™ - C-MORE RTS 2™

OPTIC BASE PLATE

CANIK® OPTIC INTERFACE #R05

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-QUALITY ELOXAL COATING TORX KEY (T10) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN







HIGH QUALITY CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON

MMAC-554

FITS

SFX RIVAL
COMPATIBLE OPTICS: ACRO

OPTIC BASE PLATE

CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC **READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.



FEATURES

MANUFACTURED FROM HIGH QUALITY 4140 STEEL TENIFER COATING TORX KEY (T10 8 T20) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGNV









ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIBLE MODELS, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUINSMITH

MMAC-151

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA*SEE BACK TP9 DAT - TP9 SA MOD 2 - TP9 V2*SEE BACK - TP9 SFT COMPATIBLE OPTICS: SHIELD SIGHTS™ SMS - MECANIK™ MO1

OPTIC BASE PLATE

CANIK® OPTIC BASE PLATE (B) FOR NON-**OPTIC READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.



FEATURES

MANUFACTURED FROM HIGH QUALITY 4140 STEEL TENIFER COATING TORX KEY (T10) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGN









ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIBLE MODELS, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUNSMITH

MMAC-169

FITS

TP9 SF ELITE - TP9 ELITE-S - TP9 SF*SEE BACK - TP9 SF MOD 2 - TP9 DA -TP9 SA*SEE BACK TP9 SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2*SEE BACK - TP9 SFT COMPATIBLE OPTICS: TRUGLO™ - VORTEX™ - MECANIK™ MO2

OPTIC BASE PLATE

CANIK® OPTIC BASE PLATE (C) FOR NON-OPTIC READY PISTOLS

THE CANIK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANIK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANIK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-OUALITY ELOXAL COATING TORX KEY (T10) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIRIE MODELS, ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A DUALIFIED GUNSMITH

MMAC-358

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA*SEE BACK - TP9 SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2*SEE BACK - TP9 SFT COMPATIBLE OPTICS: TRIJICON

OPTIC BASE PLATE

CANIK® OPTIC BASE PLATE (D)FOR NON-**OPTIC READY PISTOLS**

THE CANIK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANIK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.



FEATURES

MANUFACTURED FROM HIGH QUALITY 4140 STEEL TENIFER COATING TORX KEY (T10) **USER-FRIENDLY INSTALLATION** LOW PROFILE DESIGN









ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-357

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF*SEE BACK - TP9 SF MOD 2 - TP9 DA - TP9 SA*SEE BACK TP9 DA - TP9 SA*SEE BACK - TP9 SAT - TP9 DAT - TP9 SA MOD 2 - TP9 V2* SEE BACK - TP9 SFT COMPATIBLE OPTICS: C-MORE STS

OPTIC BASE PLATE

CANIK® OPTIC BASE PLATE (D)FOR NON-**OPTIC READY PISTOLS**

THE CANIK® CO-WITNESS OPTIC INTERFACE #5 WITH FRONT SIGHT HAS A PERFECT INFRASTRUCTURE FOR YOUR OPTICS WITH ITS HIGH STRENGTH ALUMINUM FRAME. THE SERRATIONS ON IT BLEND PERFECTLY WITH THE SERRATIONS OF YOUR PISTOL WHICH ALSO CREATES AN EXTRA SURFACE FOR SLIDE MANIPULATION. THANKS TO SPECIAL FRONT & COMBINED REAR SIGHT IT HAS CO-WITNESS FEATURE.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM HIGH-OUALITY ELOXAL COATING TORX KEY (T10) USER-FRIENDLY INSTALLATION LOW PROFILE DESIGN SPECIAL DESIGN FRONT SIGHT CO-WITNESS











WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-190

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx - TP9 SFx MOD 2 COMPATIBLE OPTICS: AIMPOINT® ACRO-C1





FIRING PIN & MAGAZINE CATCH

MAGAZINE CATCH

CANIK® EXTENDED MAGAZINE CATCH ASSEMBLY

THE CANIK® DESIGNED EXTENDED MAGAZINE CATCH ASSEMBLY OFFERS INNOVATIVE STYLING AND FUNCTIONALITY IN 4 DIFFERENT SIZES. THE MAGAZINE BUTTON AND CATCH ARE MADE WITH HIGH TECH MIM (METAL INJECTION MOLDING). FOR MAXIMUM DURABILITY, ALL PARTS (EXCEPT MAGAZINE CATCH SPRING) ARE COATED WITH HIGH QUALITY TENIFER® FINISH. 4 DIFFERENT BUTTON OPTIONS ARE PROVIDED FOR OPTIMAL TACTILE RESPONSE, SPORTING USAGE, AND AESTHETICS.

DRY FIRE ASSEMBLY

CANIK® ASSEMBLY FOR DRY FIRE TRAINING

THE CANIK® ASSEMBLY FOR DRY FIRE TRAINING IS DESIGNED BY CANIK® RESEARCH AND DEVELOPMENT TO MEET THE TRAINING NEEDS OF ALL PROFESSIONAL SHOOTERS. IT ALLOWS YOU TO PROTECT YOUR PISTOL'S FIRING PIN WHILE DRY FIRE PRACTICING.


FIRING PIN ASSEMBLY

CANIK® FIRING PIN ASSEMBLY

THE CANIK® FIRING PIN ASSEMBLY IS DESIGNED BY CANIK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.







MMAC-080

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS



FEATURES

CERAKOTE™ COATED
DRY FIRE PIN ASSEMBLY IS INCAPABLE OF FIRING AMMUNITION
USER FRIENDLY INSTALLATION
COLORED IN RED
SUITABLE DESIGN FOR DRY FIRE TRAINING









FEATURES

TENIFER® COATED
USER FRIENDLY INSTALLATION










WARNING CANINE PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-052

FITS

TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX TP9 DA - TP9 DA ELITE - SFX RIVAL - TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE TP9 SF ELITE-S - TP9 SFL - TP9 SFT



FIRING PIN ASSEMBLY

CANIK® FIRING PIN ASSEMBLY

THE CANIK® FIRING PIN ASSEMBLY IS DESIGNED BY CANIK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.



FEATURES

TENIFER® COATED USER FRIENDLY INSTALLATION















WARNING CANK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-360

TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SFx METE - TP9 ELITE SC - TP9 SUB METE
METE SF - METE SF PR0 - METE SFT - METE SFT PR0 - METE SFx - METE SFx PR0





TRIGGER

CANIK® ENHANCED 90° ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ENHANCED 90° ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



FEATURES

FLAT-FACE SERRATED DESIGN CNC - MACHINED HIGH-QUALITY AVIATION ALUMINUM PATENTED DESIGN SHORT PRE-TRAVEL & RESET DISTANCE **ENHANCED 90 DEGREE TRIGGER BREAK** FLAT FACE WITH DIAMOND PATTERN DESIGN











NG! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE ALL PARTS AND ACCESSORIES

MMAC-066

TP9 SF ELITE- TP9 ELITE COMBAT - TP9 SFX MOD 2 - TP9 SF MOD 2 - TP9 SF METE TP9 SFT METE - TP9 SFX METE - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE TP9 ELITE SC - TP9 ELITE SC CAS - METE SF - METE SF PRO - METE SFT - METE SFT PRO METE SFX - METE SFX PRO - METE SC - METE SC PRO - SFX RIVAL

TRIGGER

CANIK® ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



FEATURES

FLAT-FACE SERRATED DESIGN CNC - MACHINED HIGH STRENGTH ALUMINUM DESIGNED BY CANIK® SHORT PRE-TRAVEL & RESET DISTANCE









ARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE, ALL PARTS AND ACCESSORIES

MMAC-065

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2
TP9 SF MOD 2 - TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SUB ELITE
TP9 SUB ELITE CAS - TP9 SUB METE - TP9 ELITE SC - TP9 ELITE SC CAS - METE SFT
METE SF7 PRO - METE SF1 - METE SF3 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 - METE SF4 -

TRIGGER

CANIK® ENHANCED 90° LIGHTENED **ALUMINUM FLAT TRIGGER ASSEMBLY**

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANIK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



FEATURES

FLAT-FACE SERRATED DESIGN CNC - MACHINED HIGH-QUALITY AVIATION ALUMINUM PATENTED DESIGN SHORT PRE-TRAVEL & RESET DISTANCE **ENHANCED 90 DEGREE TRIGGER BREAK** FLAT FACE WITH DIAMOND PATTERN DESIGN LIGHTENED ALUMINUM TRIGGER







NARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE, ALL PARTS AND ACCESSORIES

MMAC-465

FITS

TP9 SF ELITE - TP9 SF ELITE COMBAT - TP9 SFx MOD 2 - TP9 SF MOD 2 - TP SF METE TP9 SFT METE - METE SFX METE - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE TP9 ELITE SC - TP9 ELITE SC CAS - METE SF - METE SF PRO - METE SFT - METE SFT PRO METE SFX - METE SFX PRO - METE SC PRO - SFX RIVAL

TRIGGER

CANIK® FULL SIZE PISTOL ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANIK® ALUMINUM FLAT TRIGGER IS DESIGNED BY CANIK® RØD DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



FEATURES

FLAT-FACE SERRATED DESIGN CNC – MACHINED HIGH STRENGTH ALUMINUM DESIGNED BY CANIK® SHORT PRE-TRAVEL & RESET DISTANCE











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-067

TP9 V2 - TP9 DA - TP9 SA - TP9 SA MOD 2 - TP9 SF - TP9 SFL - TP9 SFx - TP9 SFT







UPGRADE PACK

CANIK® UPGRADE PACK #2 - MAGAZINE & MAG-WELL (WITH ALLEN KEY & SCREW)

CANIK® UPGRADE PACK #2 CONTAINS:1 X COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION (MA895 / MMAC-029)

1X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013)

COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION

18 (15+3) ROUND 9X19MM CAPACITY

+3 ALUMINIUM EXTENDED BASE PLATE

DOUBLE-STACK DESIGN

WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING (AFC)

CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC GAR®

INTERCHANGEABLE COMPONENT STRUCTURE

EASY MAINTENANCE

CANIK® STANDARD ALUMINUM

+3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING

(PLEASE CHECK COMPATIBLE MODELS SHOWN)

EASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION

CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING











WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE, PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE, WEAR EYE PROTECTION, INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-100

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF ELITE COMBAT - TP9 SF ELITE-S COMBAT TP9 SF METE - TP9 SF METE-S - METE SF - METE SF PRO

UPGRADE PACK

CANIK® UPGRADE PACK #1 - MAGAZINES (WITH ALLEN KEY & SCREW)

CANIK® UPGRADE PACK #1 CONTAINS:

1X COMPACT SIZE 15 ROUND MAGAZINE (MA595 / MMAC-028)

1X CANIK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES)(PACNO500 / MMAC-024) 3 X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013)

1X CANIK® STANDARD COMPACT SIZE MAG-WELL (PACNO251 / MMAC-027)

BACKSTRAP (2 SIZES):

DESIGNED BY CANIK®

COMPATIBLE WITH COMPACT SIZE MAG-

WELLS

FAST ASSEMBLY WITH USER-FRIENDLY (PLEASE CHECK COMPATIBLE MODELS

DESIGN

EFFECTIVE AND COMFORTABLE SHOOTING

OPTIMUM ERGONOMICS

2 DIFFERENT SIZES

COMPACT SIZE 15 ROUND MAGAZINE:

15 ROUND 9X19MM CAPACITY

POLYMER BASE PLATE

DOUBLE-STACK DESIGN

WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING (AFC) CORROSION RESISTANT

DEVELOPED AND MANUFACTURED

BY MFC-GAR® INTERCHANGEABLE COMPONENT STRUCTURE FASY MAINTENANCE



CANIK® STANDARD COMPACT SIZE CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL

MAGAZINE SPRING

SHOWN)

EASY TO INSTALL

SPECIFICALLY DESIGNED TO PROVIDE NO TOOLS ARE REQUIRED FOR INSTALLATION

CANIK® STANDARD COMPACT SIZE MAG-WELL:

OUICK ASSEMBLY WITH USER-FRIENDLY DESIGN

CERAKOTE™ OVER TYPE III ALUMINUM HARD

ANODIZED COATING CNC - MACHINED HIGH-QUALITY, AIRCRAFT

GRADE ALUMINUM

BLACK FINISH





WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON, FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. AND PISTOL USER MANUALINSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMPATIBLE MODELS

MMAC-099

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE TP9 SF METE-S

UPGRADE PACK

CANIK® UPGRADE PACK #1 - MAGAZINES (RESTRICTED) WITH ALLEN KEY & SCREW

CANIK® UPGRADE PACK #1 (RESTRICTED) CONTAINS:

1 X COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION (MA2083 / MMAC-

1 X CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACNO200 / MMAC-013)

COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION

10 ROUND 9X19MM CAPACITY

DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS

ALUMINIUM EXTENDED BASE PLATE

DOUBLE-STACK DESIGN

WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING(AFC)

CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC-GAR®

INTERCHANGEABLE COMPONENT STRUCTURE

FASY MAINTENANCE

CANIK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING

(PLEASE CHECK COMPATIBLE MODELS SHOWN)

EASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION

CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING













WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE, WEAR EYE PROTECTION, INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS

MMAC-197

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF ELITE COMBAT - TP9 SF ELITE-S COMBAT TP SF METE - TP9 SF METE-S - METE SF - METE SF PRO

UPGRADE PACK

CANIK® UPGRADE PACK #3 - SHIELD SIGHT SMSWITH ALLEN KEY & SCREW

CANIK® UPGRADE PACK #3 SHIELD SIGHTSTM SMS OPTICS CONVERTS YOUR NON-OPTIC READY PISTOL INTO OPTIC PISTOL.

CANIK® UPGRADE PACK #3 CONTAINS

1 X SHIELD™ SMS MODEL MICRO RED-DOT (4 MOA) (MMAC-150)

1 X CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (PACNO704 / MMAC-151)

SHIELD SIGHTS™ SMS MODEL MICRO CANIK® OPTIC BASE PLATE (A) FOR RED-DOT (4 MOA) NON-OPTIC READY PISTOLS

4 M.O.A. DOT AND A LIGHT YET STURDY MANUFACTURED FROM HIGH QUALITY

POLYMER BODY, THE SHIELD SMS MINI- 4140 STEEL

SIGHT COMPACT IS IDEAL FOR COMPACT TENIFER COATING CARRY GUNS TORX KEY (T10 & T20)

RED LIGHT EMITTING DIODE (LED) NO USER-FRIENDLY INSTALLATION

LASER; COMPLETELY EYE SAFE NO LOW PROFILE DESIGN

RADIOACTIVE MATERIALS

1X REFLEX LENS (NO MAGNIFICATION)

ANTI-REFLECTION NO COLOURED

COATING, MINIMISES VISIBLE SIGNATURE

3V LITHIUM BATTERY, CR2032

AUTOMATIC ADJUSTMENT

WEIGHT: 14 GRAMS / 0.5 OUNCES







ATTENTION OMPATIBLE WITH PISTOLS PRODUCE AFTER THESE SERIAL NUMBERS
TP9 V2 T6472-15 AI 04151 TTP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AI 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-172

TP9 V2*SEEBACK - TP9 SF*SEEBACK - TP9 SA*SEEBACK - TP9 SA MOD 2 -TP9 SF MOD 2 - TP9 DA
TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF
COMPATIBLE OPTICS: SHIELD SIGHTSTM SMS - MECANIKTM MO1

UPGRADE PACK

CANIK® UPGRADE PACK #5 - MECANIK M01

CANIK® UPGRADE PACK #5 MECANIK MO1 OPTICS CONVERTS YOUR NON-OPTIC READY PISTOL INTO OPTIC READY PISTOL.

CANIK® UPGRADE PACK #5 CONTAINS

1 X MECANIK™ MO1 MODEL MICRO RED-DOT (3 MOA) (MMAC-330)

1 X CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (PACNO704 / MMAC-169)

MECANIK ™ MO1 MODEL MICRO RED- CANIK® OPTIC BASE PLATE (A) FOR DOT (3 MOA) NON-OPTIC READY PISTOLS

TORX KEY (T10 & T20)

3 MOÀ RED DÓT SIGHT
IT IS DESIGNED FOR DUTY AND CONCEALED
4140 STEEL
CARRY PISTOLS

CARRY PISTOLS
AUTOMATIC BRIGHTNESS ADJUSTMENT (10 TENPER COATING

THANKS SO THE HI-TECH MOTION SENSOR, IT USER-FRIENDLY INSTALLATION TURNS OFF WHEN NOT HELD TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TENTON TO THE TE

IN USE. IT STARTS WORKING AGAIN WHEN MOTION IS DETECTED

LOW-PROFILE DESIGN THAT CAN BE USED

WITH CO-WITNESS FEATURE
THANKS TO ITS HIGH QUALITY SUPER LED

FEATURE, IT HAS A CLEARER
DOT COMPARED TO TOS COMPETITORS
MECANIK MO1 COMES PRE-ZEROED OUT OF

THE FACTORY FOR METE SERIES PISTOL.

PARALLAX-FREE









WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-466

FITS

TP9 V2*SEEBACK - TP9 SF*SEEBACK - TP9 SA*SEEBACK - TP9 SA MOD 2 - TP9 SF MOD 2
TP9 DA - TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF
COMPATIBLE OPTICS: MECANIK™ MO1 - SHIELD SIGHTS™ SMS

UPGRADE PACK

CANIK® UPGRADE PACK #6 - MECANIK MO2

CANIK® UPGRADE PACK #6 MECANIK MO2 OPTICS CONVERTS YOUR NON-OPTIC READY PISTOL INTO OPTIC READY PISTOL.

CANIK® UPGRADE PACK #6 CONTAINS

1X MECANIK™ MO2 MODEL MICRO RED-DOT (3 MOA) (MMAC-331)

1 X CANIK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (PACNO704 / MMAC-169)

MECANIK™ MO2 MODEL MICRO RED-DOT (3 MOA) CANIK® OPTIC BASE PLATE (B) FOR NON-OPTIC READY PISTOLS

3 MOA RED DOT SIGHT MANUFACTURED FROM HIGH QUALITY

IT IS A VERSATILE OPTIC DESIGNED FOR 4140 STEEL

HOME/SELF DEFENSE, HUNTING TENIFER COATING AND COMPETITION. TORX KEY (T10 & T20)

MANUAL BIRGHTNESS ADJUSTMENT (2 USER-FRIENDLY INSTALLATION

LEVEL FOR NVG+8 DAYLIGHT) LOW PROFILE DESIGN

THANKS TO ITS HIGH QUALITY SUPER LED

FEATURE, IT HAS A CLEARER

DOT COMPARED TO ITS COMPETITORS

WIDE OPTICAL LENS PARALLAX-FREE










WARNING! FOR ASSEMBLY, JOHASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-467

FITS

TP9 V2*SEEBACK - TP9 SF*SEEBACK - TP9 SA*SEEBACK - TP9 SA MOD 2 - TP9 SF MOD 2
TP9 DA - TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE - TP9 SF
COMPATIBLE OPTICS: MECANIKI** MO2 - VORTEX*** VENOM





DUTY PACK

CANIK® DUTY PACK #3

THE CANIK® KYDEX® LEVEL I COMPACT SIZE IWB HOLSTER IS COMPATIBLE W/ OLIGHT PL-MINI 2 FLASHLIGHT. CANIK® KYDEX® COMPACT SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT COMBINATION HAS BEEN PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF SUPERIOR CANIK® TECHNOLOGY SAFELY IN ANY ENVIRONMENT.

CANIK® DUTY PACK #3 CONTAINS

ONE CANIK® KYDEX® IWB COMPATIBLE W/ FLASHLIGHT (RIGHT) (MMAC-142) ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC- COYOTE BROWN 076)

OLIGHT™ PL-MINI 2

FITS ALL PICATTINNY RAIL MOUNT EQUIPT PISTOLS ADJUSTABLE RAIL

600 LUMENS WITH 100 METERS OF THROW OLIGHT MAGNETIC CHARGING SYSTEM -CAN BE CHARGED USING ANY USB POWER SOURCE

OUICK INSTAL AND REMOVAL WITHIN ONE SECOND

ULTRA COMPACT AND LIGHTWEIGHT UP TO 60 MINS OPERATING TIME WHEN FULLY CHARGED

LOW BATTERY INDICATION

73GRAMS IPX6 RATED

CANIK® KYDEX® COMPACT SIZE IWB COMPATIBLE

W/FLASHLIGHT (RIGHT) RIGHT HANDED RETENTION LEVEL I HOLSTER **VACUUM FORMED** HIGH-OUALITY CNC CUT 0.80"(2MM) KYDEX®













HANDLE THEIR EIREARMS WHILE LISING THEIR HOLSTERS! HANDLING OF A FIRFARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER EITI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT

IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE THIS HIS STED IS DESIGNED FOR INDIVIDIALS WHO ARE DRODEDLY TRAINED AND LICENSED TO LAWFILLY CARRY A FIREARM

PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO DRODEDLY USE A HOLSTED OR HANDLE A LOADED EIDEARM CAN DESULT IN INJURY OR DEATH

MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

MMAC-182

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE - TP9 SF METE-S - METE SF - METE SF PRO

DUTY PACK

CANIK® DUTY PACK #2

COMBINATION OF CANIK® KYDEX® OWB SUB I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT. IT IS DESIGNED BY KEEPING THE NEEDS OF FIELD OPERATORS IN MIND. CDP IS PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF THE SUPERIOR CANIK® TECHNOLOGY IN ANY ENVIRONMENT SAFELY.

CANIK® KYDEX® SUB COMPACT LEVEL I

DUTY HOLSTER OWB HOLSTER 2MM KYDEX® TENSION SCREW **OLIGHT PL MINI 2 COMPATIBLE** KYDEX® MOLDED HOLSTER, SOLID AND WELL FITTING REFLEX SIGHT COMPATIBLE HIGH PRECISION CNC CUTTING SLIM DESIGN ALLOWS FOR CLOSE-TO-BODY

FIT

CANIK® DUTY PACK (CDP) #2 A ONE CANIK® OWB KYDEX® LEVEL1 HOLSTER

076)

PISTOLS

ADJUSTABLE RAIL

600 LUMENS WITH 100 METERS OF THROW OLIGHT MAGNETIC CHARGING SYSTEM -CAN BE CHARGED USING ANY USB POWER

OUICK INSTAL AND REMOVAL WITHIN ONE SECOND

ULTRA COMPACT AND LIGHTWEIGHT UP TO 60 MINS OPERATING TIME WHEN **FULLY CHARGED**

LOW BATTERY INDICATION 73GRAMS

IPX6 RATED

DUTY PACK #2 CONTAINS

(MMAC-167) COMPACT FLASHLIGHT COMPATIBLE LEVEL ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC-

OLIGHT™ PL-MINI 2

FITS ALL PICATTINNY RAIL MOUNT EOUIPT

SOURCE













WARNING! WE OO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS

HANDLING OF A FIREARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGLIN IN A HOLSTER WITHOUT FIRST TESTING IN AN LINLOADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE

THIS HALSTED IS RESIGNED EAD INDIVIDUALS WHA ADE DRADEDLY TRAINED AND LICENSED TO LAWEULLY CARDY A EIDEADN PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED REFORE USING THIS PRODUCT FAILURE TO DRODED VILSE A HOLSTED OR HANDLE A LOADED EIDEARM CAN DESULT IN INJURY OR DEATH

MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR DEMOVING A FIREARM FROM THE HOLSTER

MMAC-177

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO TP9 SUB FLITE CAS

DUTY PACK

CANIK® DUTY PACK #5

THE CANIK® DUTY PACK (CDP) #5 A ONE CANIK® KYDEX® FULL SIZE LEVEL I DUTY COMBINATION OF CANIK® KYDEX® OWB FULL SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL-2 TACTICAL PISTOL FLASHLIGHT. IT IS DESIGNED BY KEEPING THE NEEDS OF FIELD OPERATORS IN MIND. CDP IS PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF THE SUPERIOR CANIK® TECHNOLOGY IN ANY ENVIRONMENT SAFELY.

CANIK® KYDEX® LEVEL I FULL SIZE DUTY

HOLSTER OWB HOLSTER 2MM KYDEX® TENSION SCREW **OLIGHT PL-2 COMPATIBLE** KYDEX MOLDED HOLSTER, SOLID AND WELL FITTING REFLEX SIGHT COMPATIBLE HIGH PRECISION CNC CUTTING SPARE BUTTERFLY CLIP

FIT

CANIK® DUTY PACK #5 CONTAINS

HOLSTER (MMAC-180)

ONE OLIGHT™ PL-2 FLASHLIGHT (MMAC-074)

OLIGHT™ PL-2

1200 LUMENS OUTPUT WITH UP TO 257 YARDS BEAM THROW

CUSTOM BATTERY COMPARTMENT LOCK DESIGN TO PREVENT ACCIDENTAL OPENING SINGLE HANDED MANUAL QUICK ATTACH AND RELEASE MOUNTING SYSTEM CREE XHP35 HI LED

2 X CR123A BATTERY (INCLUDED) UP TO 70 MIN OPERATING TIME

IPX6 RATED 80GRAMS













WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFFL HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS HANDLING OF A FIREARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING

NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER EITH IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE

THIS HALSTED IS RESIGNED EAD INDIVIDUALS WHA ADE DOADEDLY TOAINED AND LICENSED TO LAWELLLY CADDY A EIDEADM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED REFORE USING THIS PRODUCT FAILURE TO DRODERLY USE A HOLSTER OR HANDLE A LOADEN EIDEARM CAN DESULT IN INJURY OR DEATH

MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER OF INSEPTING OR DEMOVING A FIDEARM FROM THE HOLSTED

MMAC-194

FITS

TP9 SFX - METE SFX - METE SFX PRO - TP9 SFL

DUTY PACK

CANIK® DUTY PACK #4

THE CANIK® KYDEX® LEVEL I COMPACT SIZE OWB HOLSTER IS COMPATIBLE W/ OLIGHT PL-2 FLASHLIGHT. IT IS DESIGNED ACCORDING TO THE NEEDS OF TACTICAL SITUATIONS AND / OR DAILY CARRY CONSIDERATION. CANIK® KYDEX® COMPACT SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL-2 TACTICAL PISTOL FLASHLIGHT COMBINATION HAS BEEN PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF SUPERIOR CANIK® TECHNOLOGY SAFELY IN ANY ENVIRONMENT.

CANIK® KYDEX® LEVEL I COMPACT SIZE

OWB HOLSTER COMPATIBLE W/ OLIGHT PL-2 FLASHLIGHT **COYOTE BROWN** RIGHT HANDED RETENTION LEVEL I HOLSTER VACUUM FORMED HIGH-QUALITY CNC CUT

0.80"(2MM) KYDEX

ONE CANIK® KYDEX® COMPACT SIZE OWB COMPATIBLE W/ FLASHLIGHT (RIGHT) (MMAC-143)

CANIK® DUTY PACK #4 CONTAINS

ONE OLIGHT™ PL-2 FLASHLIGHT (MMAC-074))

OLIGHT™ PL-2

80GRAMS

1200 LUMENS OUTPUT WITH UP TO 257 YARDS BEAM THROW

CUSTOM BATTERY COMPARTMENT LOCK DESIGN TO PREVENT ACCIDENTAL OPENING SINGLE HANDED MANUAL QUICK ATTACH AND RELEASE MOUNTING SYSTEM CREE XHP35 HI LED

2 X CR123A BATTERY (INCLUDED) UP TO 70 MIN OPERATING TIME **IPX6 RATED**















NARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE LISING THEIR HOLSTERS!

HANDLING OF A FIREARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN LINLOADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE

THIS HALSTED IS DESIGNED FOR DINDIVIDUALS OF DEPOTED IN TRAINING AND LICENSED TO LAWFILL V CAPPY A FIDEADM. PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO DRODEDLY LISE A HOLSTED OR HANDLE A LOADED EIDEARM CAN DESULT IN INJURY OR DEATH

MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON

MMAC-183

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE TP9 SF METE-S - METE SF - METE SF PRO

SIGHT ADJUSTMENT TOOL

FOR USE WITH ALL TP AND **METE SERIES PISTOLS**



NG! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT. QUALIFIED GUNSMITH WITH AN LINDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. ALWAYS REFER TO INSTALLATION INSTRUCTIONS PROVIDED AND/OR PISTOL USER MANUAL IMPROPER LISE OF THIS TOOL MAY RESULT IN DAMAGE TO YOUR SIGHTS AND/OR FIREARM, ONLY TO BE LISED BY A QUALIFIED

MMAC-035

FITS

ALL TP SERIES PISTOLS

PISTOL STOCK

CANIK® ARMBRACE-1 PISTOL STOCK (FDE)

ARMBRACE 1 A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



FEATURES

INCREASES YOUR COMBAT STANCE INCREASES YOUR ACCURACY RATE EASY TO DISASSEMBLE AND INSTALL HIGH QUALITY FIBER GLASS POLYMER ACTIVE DEFENSE AGAINST COLD WEAPONS MIL-STD 1913 PICATINNY RAIL WEIGHS ONLY 230GR



NING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS, ONLY INSTALL ON COMPATIBLE MODELS

MMAC-542

FITS

ALL TP. METE AND RIVAL SERIES PISTOLS



PISTOL STOCK

CANIK® ARMBRACE-1 PISTOL STOCK (BLACK)

ARMBRACE 1 A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASKENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL
WEIGHS ONLY 230GR



<mark>(arning!</mark> install in accordance with the installation instructions included and in your pistol manual only install on Ompatible models. All parts and accessories should be installed by a qualified gunsmith.

MMAC-541

FITS

ALL TP, METE AND RIVAL SERIES PIRSTOLS

PISTOL STOCK

CANIK® ARMBRACE-2 PISTOL STOCK (FDE)

ARMBRACE 2 IS THE SHORTER VERSION OF ARMBRACE 1. IT'S A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USERFRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MILSTD-1913 PICATINNY RAIL ON IT.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL



I<mark>arning!</mark> Install in accordance with the installation instructions included and in your pistol manual only install on Ompatible models. All parts and accessories should be installed by a qualified gunsmith.

MMAC-546

FITS

ALL TP, METE AND RIVAL SERIES PIRSTOLS

PISTOL STOCK

CANIK® ARMBRACE-2 PISTOL STOCK (BLACK)

ARMBRACE 2 IS THE SHORTER VERSION OF ARMBRACE 1. IT'S A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILD TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-545

FITS

ALL TP, METE AND RIVAL SERIES PIRSTOLS

CLEANING PAD

CANIK® CLEANING MAT (TP9 SUB ELITE)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

CLEANING PAD

CANIK® CLEANING MAT (TP9 SFX METE)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES

CLEANING PAD

CANIK® CLEANING MAT (TP9 ELITE-S COMBAT)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.







FEATURES

3 MM NEOPRENE TP9 SUB ELITE PART LIST DIMENSION 27X43CM

FEATURES

3 MM NEOPRENE TP9 SFX METE PART LIST DIMENSION 27X43CM

FEATURES

3 MM NEOPRENE TP9 ELITE-S COMBAT PART LIST DIMENSION 27X43CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY \(\)30°/

MMAC-162

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°T

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY ₹30°

MMAC-186

MMAC-163

93

CLEANING PAD

CANIK® CLEANING MAT (TP9 ELITE COMBAT)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

CLEANING PAD

CANIK® CLEANING MAT (METE SFT)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

CLEANING PAD

CANIK® CLEANING MAT (METE SFX)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.







FEATURES

3 MM NEOPRENE TP9 ELITE COMBAT PART LIST DIMENSION 27X43CM

FEATURES

3 MM NEOPRENE METE SFT PART LIST DIMENSION 27X43CM

FEATURES

3 MM NEOPRENE METE SFX PART LIST DIMENSION 27X43CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°T

MMAC-185

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°

MMAC-499

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°

MMAC-498

CLEANING PAD

CANIK® CLEANING MAT (SFX RIVAL)

THE CANIK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.

FEATURES

3 MM NEOPRENE TP9 SUB ELITE PART LIST DIMENSION 27X43CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°T

MMAC-501

COVER

CANIK® NEOPRENE PISTOL COVER

CANIK® NEOPRENE PISTOL COVER IS MADE BY HIGH QUALITY NEOPRENE FABRIC, HELPING PROTECT YOUR PISTOL SLIDE.



FEATURES

2 MM NEOPRENE

MMAC-198 FITS **ALL TP9 SERIES PISTOLS**

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 30°

GRIP

CANIK® TACTICAL VERTICAL FOREGRIP (BLACK)

CANIK® TACTICAL VERTICAL FOREGRIP ENABLES VERTICAL GRIP OPTION ON YOUR PISTOL OR ANY PICATINNY RAILED FIREARMS. IT HAS ENHANCING TACTICAL VERSATILITY AND PERFORMANCE.



FEATURES

INCREASES YOUR COMBAT STANCE INCREASES YOUR ACCURACY RATE EASY AND FAST ADAPT/REMOVAL MECHANISM HIGH QUALITY FIBER GLASS POLYMER COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL



WARNING! CANIK® TACTICAL VERTICAL FOREGRIP SHOULD NEVER BE USED ON A LOADED GUN.

MMAC-140

FITS

ALL PISTOLS EQUIPPED WITH PICATINNY RAIL



GRIP

CANIK® TACTICAL VERTICAL FOREGRIP (FDE)

CANIK® TACTICAL VERTICAL FOREGRIP ENABLES VERTICAL GRIP OPTION ON YOUR PISTOL OR ANY PICATINNY RAILED FIREARMS. IT HAS ENHANCING TACTICAL VERSATILITY AND PERFORMANCE.



FEATURES

INCREASES YOUR COMBAT STANCE INCREASES YOUR ACCURACY RATE EASY AND FAST ADAPT/REMOVAL MECHANISM HIGH QUALITY FIBER GLASS POLYMER COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL



HIGH QUALITY Polymer

MMAC-326

FITS

ALL PISTOLS EQUIPPED WITH PICATINNY RAIL

LANYARD

CANIK® LANYARD (WITHOUT STEEL CORD)

THE CANIK® PISTOL LANYARD IS DESIGNED TO PREVENT THE OPERATOR FROM UNINTENTIONALLY DROPPING THEIR PISTOL, OR TO PREVENT THE PISTOL FROM FALLING INTO THE HANDS OF UNAUTHORIZED PEOPLE DURING A POSSIBLE CLASH. THANKS TO ITS USER-FRIENDLY DESIGN AND DURABLE STRUCTURE, IT CAN EASILY BE ATTACHED TO ALL TYPES OF PISTOLS AND WAIST BELTS.



FEATURES

SPIRAL CORD ADJUSTABLE VELCRO BELT ADAPTOR USER FRIENDLY DESIGN



ATTENTION REQUIRES #MMAC-352 CANIK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL

MMAC-275

.ANYARD

CANIK® LANYARD (WITH STEEL CORD)

THE CANIK® PISTOL LANYARD IS DESIGNED TO PREVENT THE OPERATOR FROM UNINTENTIONALLY DROPPING THEIR PISTOL, OR TO PREVENT THE PISTOL FROM FALLING INTO THE HANDS OF UNAUTHORIZED PEOPLE DURING A POSSIBLE CLASH. THANKS TO ITS USER-FRIENDLY DESIGN AND DURABLE STRUCTURE, IT CAN EASILY BE ATTACHED TO ALL TYPES OF PISTOLS AND WAIST BELTS.



FEATURES

SPIRAL CORD ADJUSTABLE VELCRO BELT ADAPTOR USER FRIENDLY DESIGN



ATTENTION REQUIRES #MMAC-352 CANIK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

MMAC-276

LOCK

CANIK® PISTOL CABLE LOCK (UNIVERSAL)

THE CANIK® PISTOL CABLE LOCK BLOCKS THE CHAMBER TO PREVENT A CARTRIDGE FROM BEING FIRED. THE LONG-BRAIDED STEEL CABLE IS INSERTED DOWN THE EJECTION PORT AND DOWN THE MAGAZINE WELL OF THE GUN. THE END OF THE CORD FITS INTO THE LARGE PADLOCK WITH A KEY USED TO SECURE THE DEVICE.



PREVENT UNAUTHORIZED USE
FITS MOST PISTOLS, HANDGUNS, RIFLES, SHOTGUNS & MODERN SPORTING RIFLES
PROTECTIVE COATING ON WIRE TO PREVENT SCRATCHING FIREARM
SECURES PISTOL, RIFLE, SHOTGUN, REVOLVER, AND OTHER FIREARM TYPES



NARNING! CANÍK® PISTOL CABLE LOCK SHOULD NEVER BE USED ON A LOADED GUN.

MMAC-019 ALL TYPE OF PISTOLS

LOCK

CANIK® TRIGGER LOCK

CANIK® TRIGGER LOCK HAS A STEEL AND ZINC BODY FOR MAXIMUM DURABILITY. THE PROTECTIVE RUBBER PADS PROTECT PISTOL FINISH FROM MARRING OR SCRATCHING.





FEATURES


UNIVERSAL TRIGGER LOCK SAFETY COMPLIANT EASY TO INSTALL KEYED TRIGGER LOCK



MMAC-031 FITS ALL TYPE OF PISTOLS







SAFARILAND™ HOLSTER SERIES



- RIGHT HAND



WARNING! WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUIN PRACTICES AND IT IS UP TO THE CUISTOMER TO SAFELY HANDLE HEIR FIREARMS WHILE USING THEIR HOLSTERS I NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUISTOMERS RESPONSIBILITY TO PRACTICE SAFE GUIN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER SIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARMY PROPER TRAINING INTHE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO 0BJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

MMAC-047

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE

TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

METE SF - METE SF PRO - TP9 SFT METE - METE SFT - METE SFT PRO

SAFARILAND™ HOLSTER SERIES



MMAC-039



- RIGHT HAND

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAEE GUN PRACTICES AND IT IS UP TO THE CUSTONER TO SAFELY HANDLE THEIR FREARMS WHILE USING THEIR HOLSTERS! REVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLIDADED CONDITION FOR PROPER FILT IT IS THE CUSTONERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDGUNG AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PORT HO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRANED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT TRAILUPE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

MMAC-048

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE

TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

METE SF - METE SF PRO - TP9 SFT METE - METE SFT - METE SFT PRO

SAFARILAND™ HOLSTER SERIES



MMAC-040



MMAC-049

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUIN PRACTICES AND IT IS UP TO THE CUSTONER TO SAFELY HANDLE THEIR FIREARMS. WHILL USING THEIR HOLSTERS! INVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLLOADED CONDITION FOR PROPER FITH ITS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUIN HANDLING AND TO ENSURE THAN PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PART TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARBET THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISHI THIS HOLSTER DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND BIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION ETH TRIBGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE

TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

METE SF - METE SF PRO - TP9 SFT METE - METE SFT - METE SFT

SAFARILAND™ HOLSTER SERIES

KYDEX HOLSTER SERIES

KYDEX HOLSTER SERIES



- RIGHT HAND

MMAC-041



- LEFT HAND

MMAC-050

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTONER TO SAFELY HANDLE THEIR FREARMS, WHILE USING THEIR HOLSTERS! NEVER FLACE A LOADED HANDGOIN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLADED COMDITION FOR PROPER FITTI IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAN PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGIENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL HINSHI THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRIDGER ON INSERTING OR REMOTING A FIREARM FORM THE HOLSTER!

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 DA - TP9 SF ELITE

TP9 SF ELITE-S - TP9 SF METE - TP9 SF METE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

METE SF - METE SF PRO - TP9 SFT METE - METE SFT - METE SFT



MMAC-141



MMAC-388











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS, WHILE USING THEIR HOLSTERS) NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGEI THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS NAY CAUSE COSMITIC DAMAGE ON YOUR PISTOL INITIAL THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERTY TRANSED AND ITECRNES TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY DE BETH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TETRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER.

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC



COMPATIBLE WITH OLIGHT PL MINI 2

MMAC-321



MMAC-267









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR PIREAMS. WHILE USING THE HOLSTERS IN SEPTIALE A LOADED HANDGOM IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLIADED COMDING FOR PROPERTY IT IS STHE GUSTOMERS RESPONSIBILITY OF PRACTICE SERGE GUN HANDLING AND TO ENSURE THAT DIFFECT OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGIAT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MY CAUSE COSMIC DAVAGE ON YOUR PISTOLE FINISH THIS HOLSTER IS DESIGNED FOR MINIMULAUS. WHO ARE PROPERLY TRAINED AND LICKSED TO LAWFULLY CARRY A FREARM PROPER TRAINING IN THE USE OF HOLSTERS AND SIFEARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT HALLINE TO PROPERLY USES A HOLSTER OR HANDLE A LOADED FIREAMS MUST BE COMPLETED BEFORE USING THIS PRODUCT HALLINE TO PROPERLY USES A HOLSTER OR HANDLE A LOADED FIREAMS AND SIFEARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT HALLINE TO PROPERLY USES A HOLSTER OR HANDLE A LOADED FIREAMS CAN RESULT IN INJURY OR DEATH MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRIGGER ON INSERTING OR REMOVING A FREARM FROM THE HOLSTER!

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC

KYDEX HOLSTER SERIES

KYDEX HOLSTER SERIES







MMAC-257



MMAC-318

ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!







WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

MMAC-167



MMAC-463











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS TP9 SUB METE - METE SC



MMAC-144



MMAC-315









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



COMPATIBLE WITH OLIGHT PL MINI 2

MMAC-309



OLIGHT PL MINI 2

MMAC-142













WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

KYDEX HOLSTER SERIES





MMAC-306



MMAC-181









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

KYDEX HOLSTER SERIES





COMPATIBLE WITH

MMAC-312



COMPATIBLE WITH

MMAC-143











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF





COMPATIBLE WITH

MMAC-375



COMPATIBLE WITH OLIGHT PL MINI 2

MMAC-373











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

KYDEX HOLSTER SERIES



COMPATIBLE WITH

MMAC-478




MMAC-477









THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

FITS

TP9 SFT METE - TP9 SA - TP9 SA MOD 2 - TP9 SF - METE SFT

KYDEX HOLSTER SERIES



MMAC-377



MMAC-378







WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

KYDEX HOLSTER SERIES

KYDEX HOLSTER SERIES



COMPATIBLE WITH

MMAC-303



MMAC-180











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFx METE - METE SFx - TP9 SFL



MMAC-514



MMAC-507











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S TP9 SF METE - TP9 SF METE-S - TP9 DA - METE SF



MMAC-505



MMAC-525









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC

KYDEX HOLSTER SERIES

KYDEX HOLSTER SERIES





COMPATIBLE WITH

MMAC-527

COMPATIBLE WITH

MMAC-526



ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!







WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF

FITS

TP9 SFT METE - TP9 SA - TP9 SA MOD 2 - TP9 SF - METE SFT

MMAC-517



COMPATIBLE WITH

MMAC-504









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF



MMAC-520



MMAC-519











FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF METE TP9 SF METE-S - TP9 DA - METE SF

IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

KYDEX HOLSTER SERIES

KYDEX HOLSTER SERIES



COMPATIBLE WITH OLIGHT PL MINI 2

MMAC-521



COMPATIBLE WITH OLIGHT PL MINI 2

MMAC-522













WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SFT METE - TP9 SA - TP9 SA MOD 2 - TP9 SF - METE SFT



COMPATIBLE WITH

MMAC-523



MMAC-524











WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFx METE - METE SFx - TP9 SFL



COMPATIBLE WITH

MMAC-511



COMPATIBLE WITH OLIGHT PL28PL PRO

MMAC-506









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SFx - TP9 SFx MOD 2 - TP9 SFx METE - METE SFx - TP9 SFL



POLYMER HOLSTER SERIES

POLYMER HOLSTER SERIES

POLYMER HOLSTER SERIES



- LEFT HAND

MMAC-240



- LEFT HAND

MMAC-241











WARNINGU WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE HEIRE RIFERARMS WHILE USING HEIR HOLSTERS I NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN A WILLDAGED CONDITION FOR PROPER HIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDGUNG AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETEINION, THIS WAY CLOSE COSSINCT COAMAGE ON YOUR PISTOL RINISH THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARMY PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CARRY A FIREARMY PROPER TRAINING MIT HE HOLSTER IS CAPABLE OF ACTIVATION THE TRIFFIED OF BEATH MAKE SURE THAT NO DISJECTS ON YOUR PERSON BELT, CUTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE TRIFFIED SEND ON REMOVING A FIREARM FROM THE HOLSTER!

HIR

ALL TP&METE MODELS



MMAC-081





MMAC-238









WARNING WE UP NOT IMPLY OR ALCEPT RESPONSIBILITY OF YOUR SAFE BON PRACTICES AND IT SO IT OF THE CUSTOMER TO SAFETHAND. THEIR REPEARMS WHILE USING THEIR HOLSTERS INVERY PLACE CALORDED HANDOUN AN HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDOUNG AND TO ENSURE THAT NO PIECE OF COLOTHING BO OF HITHOR BIGET OF SUCKING THE PART HOT THE HOLSTER THAT COULD CAUSE A NEEDLEGHT DISCHARGE THIS HOLSTER THAT HOLD PROPERLY USE REQUESTED SCHARGE THIS HOLSTER IS DESIGNED FOR MONIFORM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR MONIFORM SHOW AND AND ADDITIONAL SHOP THE PROPERLY USE AND HOLSTER AND AND ADDITIONAL SHOP THE PROPERTY USE AND HOLSTER OF HOLSTERS OF HOLSTERS AND AND FRAMEN WISH OF HOUSER OF HOLSTERS AND AND ADDITIONAL SHOP THE HOLSTER WAS AND AND ADDITIONAL SHOP THE HOLSTER WAS AND AND ADDITIONAL SHOP THE HOLSTER IS CAPABLE OF A CHARGE ON HOLSTER OF HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF THE HOLSTER OF T

FITS

ALL TP&METE MODELS



MMAC-244

- RIGHT HAND

- RIGHT HAND



MMAC-245





HIGH QUALITY CNC CUT



- LEFT HAND

- LEFT HAND

WARNING! WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUIN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FREAMS. WHILE USING THEIR HOLSTERS INVERT PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN A UNLIQADED CONDITION FOR PROPER FITH ITS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUIN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL INITIAL THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERTY THANDE AND LICENSED TO LAWFULLY CARRY A FIREARM PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERTY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY DEATH! MAY DEATH MAY RESTRICT AND TO SETTING AND THE HOLSTER IS CAPABLE OF ACTIVATIONS THE TRIGGER ON INSERTING OR REMOVING A FIREARM MONTHE HOLSTER IS CAPABLE OF ACTIVATIONS THE TRIGGER ON INSERTING OR REMOVING A FIREARM MONTHE HOLSTER.

FITS

ALL TP&METE MODELS

POLYMER HOLSTER SERIES

MMAC-129



MMAC-243











CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF

FITS

ALL TP8METE MODELS

POYLMER HOLSTER SERIES



MMAC-502

- RIGHT HAND

- RIGHT HAND



MMAC-503









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

CANIK® COMPETITION HOLSTER SERIES

THE CANIK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR easier RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

FITS ALL TP9 SERIES PISTOLS INCLUDES THE C-BAX VERSA-HANGER









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

CANIK® COMPETITION HOLSTER SERIES

THE CANİK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR easier reloading. When installed, the magwell also creates a larger LIP at the bottom of the frame, improving the shooter's grip and control of the firearm.



COMPETITION MAGAZINE POUCH

THE VERSA-POUCH BY CR SPEED IS DESIGNED FOR THE NEW AND EXPERIENCED COMPETITOR ALIKE. THIS COMPETITION MAGAZINE POUCH HAS THE ABILITY TO FIT A WIDE VARIETY OF POPULAR PISTOL MAGAZINES. THE POUCH'S LARGE RETENTION ADJUSTER KNOB ALLOWS YOU TO CUSTOMIZE THE RETENTION TO YOUR LIKING, AND IS FULLY AMBIDEXTROUS FOR LEFT OR RIGHT-HANDED SHOOTERS.



FEATURES

ONE POUCH FOR A MULITITUDE OF MAGAZINES AMBIDEXTEROUS DESIGN.

STORE STORE



FITS ALL TP9 SERIES PISTOLS INCLUDES THE C-BAX VERSA-HANGER



HIGH QUALIT **CNC TECH**





WARNINGU WE DO NOT IMPY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE HER RIFERARMS WHILE USING HER HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLICADED CONDITION FOR PROPER FITH IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENTER THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH AETERITORY, THIS WAY CLOSE COSSINCT COAMAGE ON YOUR PISTOL FINISH THIS HOIS THE SEGIOLATION OF THE PATH TO HAVE A STATEMENT OF THE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARMY PROPER TRAINING HIS THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN TIGHT OF DEATH HANKE SURE THAT NO DISJECTS ON YOUR PERSON, BELT, CUSTINING OR IN THE HOLSTER IS CAPABLE OF ACUSTATION FOR THE FIGURE ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

FITS

ALL CANIK DOUBLE STACK 9MM 40 CAL. MAGAZINES

KYDEX MAGAZINE POUCH SERIES



MMAC-286



MMAC-191









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARNS WHILE USING THEIR HOLSTERS INEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FITH IT IS THE USITOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDGUNG AND TO ENTER THE TO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH THIS HOLSTER IS DESIGNED FOR MONIONIDALS WHO ARE PROPERLY TRAINED AND LICENSE OF LOWELLY CAPAGE OF A FIREARM PROPER TRAINING HIS LIVE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN NIGHT OR DEATH! MAKE SURE THAT NO DIGIECT ON YOUR PERSON, BELT, CUTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATION THE HOLSTER.

FITS

ALL TP9 SERIES MAGAZINES

KYDEX MAGAZINE POUCH SERIES

POLYMER MAGAZINE POUCH SERIES

FRONTLINE™ HOLSTER SERIES



MMAC-251





- RIGHT HAND



MMAC-093



MMAC-192



MMAC-351













WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP9 SERIES MAGAZINES



MMAC-086



MMAC-248









WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS


ALL TP9 SERIES MAGAZINES


WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP AND METE SERIES PISTOLS

NOTE: THIS MODEL CAN DESIGN FOR ANY FLASHLIGHT + PISTOL COMBINATION.





OPTIC SIGHT LID SCREWS (M3)

OPTIC SCREWS (M4)

RECOIL SPRING











WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN CO.E.M., ISPARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-001

FITS

TP9 SFx - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx MOD 2 - TP9 SF METE - TP9 SF METE
TP9 SF METE-S - TP9 SFT METE - TP9 SFx METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC
METE SFx - METE SFx PR0 - METE SFT - METE SFT PR0 - METE SF - METE SF PR0 - METE SC
METE SC PR0

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK GLEM, ISPARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-051

FITS

TP9 SFx - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx MOD 2 - TP9 SF METE - TP9 SF METE-S TP9 SFT METE - TP9 SFx METE - TP9 SUB METE - TP9 SUB ELITE - TP9 ELITE SC - METE SF - METE SFT METE SFx - METE SF PRO - METE SFT PRO METE SFx PRO - METE SC - METE SC PRO WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK OB. M. (SPARE) SAMETS MUST BE INSTALLED BY A COMPETENT QUALIFED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-139

FITS

TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 SUB METE - METE SC METE SC PRO

EJECTOR ASSEMBLY

TRIGGER ASSEMBLY

OPTIC BASE PLATE







WARNINGE INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-205

FITS

TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE S - TP9 SFL - TP9 SFT - TP9 SAT TP9 ELITE COMBAT - TP9 ELITE S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE S TP9 SFT METE - TP9 SFX METE - TP9 SFX - TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPART) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-206

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 DA TP9 DA ELITE

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK DE.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-207

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT
TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 SFT - TP9 SAT
TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX - TP9 DA
TP9 DA ELITE - TP9 SF METE - TP9 SF METE - TP9 SFX - TP9 SIB ELITE
TP9 SIB METE - TP9 ELITE SC

EXTRACTOR ASSEMBLY

OPTIC SIGHT LID ASSEMBLY

TRIGGER BAR







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPARE) PRISTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-208

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT
TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFx MOD 2 - TP9 SFx - TP9 DA - TP9 DA ELITE
TP9 SF METE - TP9 SF METE - TP9 STF METE - TP9 SFx METE - TP9 SFx - TP9 SUB ELITE - TP9 SUB METE
TP9 ELITE SC - METE SFT - METE SFT - METE SFX - METE SF PR0 - METE SFT PR0 - METE SFX PR0
METE SC - METE SC - METE SFX - METE SFX PR0 - METE SFX PR0 - METE SFX PR0

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-209

HTS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SFX

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK OB. M. (SPARE) SARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-210

HIS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT
TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE-S
TP9 SFT METE - TP9 SFX METE - TP9 SFX - TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SF
METE SFT - METE SFX - METE SF PR0 - METE SFT PR0 - METE SFX PR0 - METE SC - METE SC PR0
SFX RIVAL

SLIDE END CAP

FIRING PIN BLOCK ASSEMBLY

MAGAZINE CATCH ASSEMBLY







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-211

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFL - TP9 SFT - TP9 SAT - TP9 SFX

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN COEM, (SPARE) PARTS MUSTS BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-212

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFI - TP9 SFT - TP9 SAT TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE-S TP9 SFI METE - TP9 SFX METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 SFI METE - TP9 S

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.

CANIK O. E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-213

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SAT - TP9 SFT TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE TP9 SF METE-S - TP9 SF METE - TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 ELITE-S TP9 SFL - TP9 SAT **SLIDE STOP ASSEMBLY**

LOCKING BLOCK ASSEMBLY

SIGHT SET







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK OB. EM. (SPARE) SARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSWITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-214

FITS

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFL - TP9 SFT - TP9 SAT - TP9 DAT - TP9 SFx - TP9 DA

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-215

FITS

TP9 SFL - TP9 SFT - TP9 SAT - TP9 DAT - TP9 DA - TP9 V2 - TP9 SF - TP9 SFx - TP9 SA - TP9 SA MOD 2

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK GE EM. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFRIGHT HAT HE PART IS FAIR INSTALLED. IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INS

MMAC-216

CIT

TP9 SFx - TP9 SFx MOD 2 - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

THREAD PROTECTOR

RECOIL SPRING

SIGHT SET WITH OPTIC LID







STORE

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN CO.E.M., ISPARE! PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-297

FITS

ALL M13,5x1LH METRIC THREADED BARRELS (EXCEPT TP9 ELITE COMBAT)

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIKO E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

MMAC-348

EITO

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.

CANIK O. E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-363

EIT

TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SAT - TP9 SFT TP9 SAT - TP9 DAT - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE TP9 SF METE-S - TP9 SF METE - TP9 V2 - TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 ELITE-S TP9 SFL - TP9 SAT **TRIGGER BAR**

METAL SLIDE END CAP

SLIDE STOP ASSEMBLY (37MM)







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPARE) PRISTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-364

FITS

TP9 V2 - TP9 DA - TP9 DAT

WARNING! INSTALL IN ACODEDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-365

FITS

TP9 SF ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE - TP9 SFX METE
TP9 SFT METE - TP9 SUB METE - TP9 SUB LILITE - TP9 ELITE SC - METE SFX PR0 - METE SF
METE SC PR0 - METE SC - METE SF PR0 - METE SFX - METE SFT - METE SFT

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF TH

MMAC-366

ET

TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD 2 - TP9 SFx MOD 2

TP9 SF METE - TP9 SF METE-S - TP9 SF METE - TP9 SWB METE - TP9 SUB METE - TP9 SUB ELITE

TP9 FITE SC

LOW PROFILE SLIDE STOP ASSEMBLY (36MM)

LOCKING BLOCK ASSEMBLY

LOCKING BLOCK ASSEMBLY







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK G.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
IN ACCOUNT MUST FLO DOTS DESIGN INSTALLED BY

MMAC-367

FITS

TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD - TP9 SF MOD D TP9 SF METE - TP9 SF METE-S - TP9 SFT METE - TP9 SS METE - TP9 SUB METE - TP9 SUB METE - TP9 SUB LITE TO BE LITE TO BE LITE TO WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPARE) PRISTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-368

FITS

TP9 ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF MOD 2 - TP9 SFX MOD 2

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK DEEM, ISPARE? BY STATES MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATEROR HATE PART IS REING INSTALLED.

MMAC-369

EIT

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC

RECOIL SPRING

RECOIL SPRING

LOW PROFILE SLIDE STOP ASSEMBLY (36MM)







WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O. E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-370

FITS

TP9 SA - TP9 SF - TP9 SFX - TP9 SFL - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFT METE - TP9 SFX METE
METE SFT - TP9 SFX - METE SFT PR0 - METE SFX PR0 - SFX RIVAL

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK DE JM. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUINSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT IF PART IS BEING INSTALLED DN.

MMAC-371

FITS

TP9 V2 - TP9 DA - TP9 DAT

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK GE EM. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFRIGHT HAT HE PART IS FAIR INSTALLED. IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INSTALLED IN INS

MMAC-426

EIT

METE SC PRO - METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO METE SC - SFX RIVAL **EJECTOR ASSEMBLY**

FIRING PIN ASSEMBLY

LOCKING LEVER/ TAKEDOWN ASSEMBLY







WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.

CANIK O. E.M. (SPARE) PACTS SUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-427

FITS

METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFx - METE SFx PRO - SFx RIVAL - METE SC METE SC PRO

WARNING INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O. E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-428

METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFx - METE SFx PRO - SFx RIVAL - METE SX METE SC PRO

WARNING! INSTALL IN ACORDBANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-429

METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFX PRO - METE SFX - SFX RIVAL
METE SC - METE SC PRO

OPTIC SIGHT LID ASSEMBLY

LOCKING BLOCK ASSEMBLY

LOCKING BLOCK ASSEMBLY







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPARE) PRISTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-430

EITQ

METE SC - METE SC PRO - METE SF - METE SF PRO - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK GLEM, ISBARE? BYETS BE INSTALLED BY A COMPETENT QUALIFIED GUISMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-431

FITS

METE SFT PRO - METE SFX - METE SFX PRO - SFX RIVAL - METE SF - METE SF PRO - METE SFT

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK DE M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATEMENT HAST THE PART IS REPINE INSTALLET ON.

MMAC-432

EIT

METE SC - METE SC PRO

SIGHT SET

THREAD PROTECTOR

RECOIL SPRING







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN CO.E.M., ISPARE! PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-433

FITS

METE SF PRO - METE SFT - METE SFT PRO - METE SFx - METE SFx PRO - METE SC - METE SC PRO - METE SF

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPARE) PRISTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-456

EIT

ALL 1/2-28 RH THREADED BARRELS (EXCEPT TP9 ELITE COMBAT)

WARNING! INSTALL IN ACORDBANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-137

TP9 SF ELITE - TP9 ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF - METE SF PRO

RECOIL SPRING 8 FIRING PIN SPRING

RECOIL SPRING 8 FIRING PIN SPRING

THREAD PROTECTOR







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPARE) PRISTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-494

FITS

TP9 SA - TP9 SF - TP9 SFx - TP9 SFL - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFT METE - TP9 SFx METE
METE SFx - METE SFx PRO - METE SFT - METE SFT PRO - SFx RIVAL

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK GLEM, ISBARE? BYETS BE INSTALLED BY A COMPETENT QUALIFIED GUISMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-495

FITS

TP9 SF ELITE - TP9 SF ELITE -S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF - METE SF PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATEMENT HAST THE PART IS REPINE INSTALLET ON.

MMAC-537

EITC

ALL METRIC TP9 MODEL PISTOLS

EJECTOR ASSY

TRIGGER ASSEMBLY

RECOIL SPRING







WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM

MMAC-538

FITS

TP9 V2 - TP9 DA - TP9 DAT

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIN GE M. (SPARE) PRISTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-204

EITC

TP9 SF - TP9 SA - TP9 SFX - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFL

WARNING! INSTALL IN ACORDBANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-493

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF - METE SF PRO

CANIK® GLOBAL ACCESSORY PROGRAM

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

